



Contents

A MESSAGE FROM COMMUNITY'S LEADERSHIP	V
EXECUTIVE SUMMARY	6
Introduction	6
Community Assessed	6
Significant Community Health Needs	8
Significant Community Health Needs: Discussion	8
COVID-19 Pandemic	8
Maternal, Infant, and Child Health	9
Mental Health and Access to Mental Health Services	9
Obesity, Physical Inactivity, and Chronic Disease	10
Social Determinants of Health	10
Substance Use Disorders and Overdoses	11
DATA AND ANALYSIS	13
Community Definition	13
Secondary Data Summary	15
Demographics	15
Socioeconomic Indicators	16
Other Local Health Status and Access Indicators	17
Food Deserts	19
Medically Underserved Areas and Populations	19
Health Professional Shortage Areas	19
CDC COVID-19 Prevalence and Mortality Findings	19
Findings of Other CHNAs	20
Primary Data Summary	21
Community Meetings	21
Key Stakeholder Interviews	22
Community Health Network Staff Survey	24
OTHER FACILITIES AND RESOURCES IN THE COMMUNITY	25
Hospitals	25
Federally Qualified Health Centers	25

Other Community Resources	26
APPENDIX	28
APPENDIX A – OBJECTIVES AND METHODOLOGY	28
Regulatory Requirements	28
Methodology	29
Collaborating Organizations	30
Data Sources	
Consultant Qualifications	30
APPENDIX B – SECONDARY DATA ASSESSMENT	32
Demographics	32
Socioeconomic indicators	38
People in Poverty	38
Unemployment	41
Health Insurance Status	42
Crime Rates	43
Housing Affordability	44
Dignity Health Community Need Index TM	47
Centers for Disease Control and Prevention Social Vulnerability Index (SVI)	50
Other Health Status and Access Indicators	55
County Health Rankings	55
Community Health Status Indicators	62
COVID-19 Incidence and Mortality	64
Mortality Rates	65
Communicable Diseases	69
Maternal and Child Health	70
Indiana Data by Race and Ethnicity	72
Centers for Disease Control and Prevention PLACES	75
Food Deserts	76
Medically Underserved Areas and Populations	77
Health Professional Shortage Areas	79
Findings of Other Assessments	83
CDC COVID-19 Prevalence and Mortality Findings	83

Indiana State Health Assessment and Improvement Plan – 2018-2021	84
APPENDIX C – COMMUNITY INPUT PARTICIPANTS	86
APPENDIX D – CHSI PEER COUNTIES	87
APPENDIX E – IMPACT EVALUATION	88
Food Insecurity	88
Mental Health and Substance Use Disorder	89
Tobacco Use	91
Access to Health Services	92

A MESSAGE FROM COMMUNITY'S LEADERSHIP

Community Health Network was brought to life by the community in the 1950s, through a door-to-door fundraising campaign with the goal of bringing much-needed healthcare services closer to the community. That powerful connection to the needs of the community is why we are named "Community."

We fulfill our primary mission through the delivery of healthcare services, and we also pay close attention to the broad needs of our neighbors and the neighborhoods we serve. Every three years, we conduct a Community Health Needs Assessment to help us understand those needs and how we can address them.

As the pages of this report explain in great detail, we identified ongoing opportunities to improve the health of newborns and children, as well as their mothers. We gathered information about the mental health challenges facing our neighbors, and the difficulty some of them have finding help.

We tracked the challenges of obesity and the chronic diseases that are associated with it, and learned how many of our local citizens struggle to achieve the levels of physical activity needed to be healthier. We gained new insights into substance abuse disorders and how they impact our communities. We learned more about how the COVID-19 pandemic has affected the people we serve.

We also gathered valuable data about social determinants of health—those social and economic factors that aren't directly related to health care but have a powerful impact on health and well-being. Poverty, food insecurity and the lack of affordable housing and health insurance all play a role. And we intentionally focused on disparities linked to systemic racism, which exacerbate all of these challenges.

This Community Health Needs Assessment outlines the challenges facing the communities we serve. And we're committed to finding solutions. Our plans to address these needs through the next three years are outlined in a companion report known as our Implementation Strategy.

We're grateful for your support of Community Health Network. Together, we can serve the needs of our communities, and truly enhance health and well-being!

Bryan Mills

President & CEO

Community Health Networt

Executive Summary

INTRODUCTION

This Community Health Needs Assessment ("CHNA") was conducted by Community Hospital East ("CHE" or "the hospital") to identify significant community health needs and to inform development of an Implementation Strategy to address current needs.

Community Hospital East has served primarily the Eastside of Indianapolis (East Region) for more than 60 years. In December 2020, a five-year, \$175 million project was completed, and a new CHE hospital was built including a new emergency department, medical imaging, and surgery, delivery, and inpatient rooms. CHE currently provides Eastside residents with access to a wide array of health care services, including inpatient and outpatient services, behavioral health services, primary care and specialty-care physician services, school-based services, oncology services, urgent-care services, physical and rehabilitation services, ambulatory and endoscopy services, and employer health services. To expand behavioral health care access, a new inpatient adult psychiatric unit and an expanded behavioral health unit were added to leased space at the NeuroDiagnostic Institute and Advanced Treatment Center. Additional information about CHE is available at: https://www.ecommunity.com/locations/community-hospital-east.


CHE is part of Community Health Network, an integrated health delivery system. Based in Indianapolis, Community Health Network is Central Indiana's leader in providing convenient access to exceptional healthcare services, where and when patients need them—in hospitals, health pavilions, and doctor's offices, as well as workplaces, schools, and homes. As a non-profit health system with more than 200 sites of care and affiliates throughout Central Indiana, Community Health Network's full continuum of care integrates hundreds of physicians, nine specialty and acute care hospitals, surgery centers, home care services, Community MedCheck locations, behavioral health, and employer health services. Additional information is available at: https://www.ecommunity.com/about.

This CHNA has been conducted using widely accepted methodologies to identify the significant health needs of a specific community. The assessment also is designed to comply with federal and state laws and regulations.

COMMUNITY ASSESSED

For purposes of this CHNA, CHE's community was defined as defined as nine ZIP codes, all of which are located in Marion County, Indiana. The community was defined by considering the geographic origins of the hospital's inpatient discharges and emergency room visits in calendar year 2020. These ZIP codes accounted for 75 percent of the hospital's inpatient discharges and over 80 percent of its emergency department visits. The total population of the CHE community in 2019 was 286,616.

The map below portrays the community served by CHE and the hospital's location.



SIGNIFICANT COMMUNITY HEALTH NEEDS

Certain community health needs were determined to be "significant" if they were identified as problematic in at least two of the following three data sources: (1) the most recently available secondary data regarding the community's health; (2) recent community health assessments developed by the state of Indiana and local organizations; and (3) input from community stakeholders and staff who participated in community meetings, interviews, and surveys.

As determined by analyses of quantitative and qualitative data, racial and ethnic health disparities emerged as the primary, cross-cutting health issue in the community served by Community Hospital East. These disparities were observed within each of the following significant community health needs:

COVID-19 Pandemic Maternal, Infant, and Child Health Mental Health Status and Access to Mental Health Services Obesity, Physical Inactivity, and Associated Chronic Disease Social Determinants of Health, including:

- Poverty
- Food Insecurity
- Affordable Housing
- Lack of Health Insurance

Substance Use Disorders and Overdoses

SIGNIFICANT COMMUNITY HEALTH NEEDS: DISCUSSION

COVID-19 Pandemic

The COVID-19 pandemic represents a public health emergency for Indiana and the United States. In addition to contributing to severe illness and death, the pandemic also has exposed the significance of problems associated with long-standing community health issues, including racial health inequities, chronic disease, access to health services, mental health, and related issues.

The Centers for Disease Control's (CDC) work related to COVID-19 has included identifying certain populations that are most at risk for severe illness and death due to the pandemic. Populations most at risk include older adults, people with certain underlying conditions, pregnant women, and members of racial and ethnic minority groups. According to the CDC, "long-standing systemic health and social inequities have put some members of racial and ethnic minority groups at increased risk of getting COVID-19 or experiencing severe illness, regardless of age." Men also are more likely to die from COVID-19 than women. Based on that work, many at-risk people live in the CHE community.

Compared to the U.S., Marion County has experienced above average incidence and mortality rates for COVID-19. Vaccination rates have been lower and vaccine hesitancy rates have been higher than national averages.

Community members providing input into this CHNA indicated that the pandemic has highlighted problems associated with Social Determinants of Health and with racial and ethnic health inequities. People in poverty, house-less populations, and minorities (particularly elderly, Black residents) have been disproportionately affected. Disparities in testing, treatment, and mortality have been observed. Many residents have delayed accessing needed health care services due to fears surrounding the virus, leading to unmet need.

Significant economic impacts have occurred. In 2020 and due to the pandemic, the number of people unemployed in Marion County, Indiana, and the United States increased substantially. This rise in unemployment has affected access to employer-based health insurance and health services, and has increased housing and food insecurity.

Maternal, Infant, and Child Health

Maternal, infant, and child health related needs have been identified as significant. Marion County compares unfavorably for numerous infant and maternal health indicators including rates of infant mortality, preterm births, low birthweight infants, very low birthweight infants, mothers receiving prenatal care, and breastfeeding.

Racial and ethnic disparities in maternal, infant, and child health are present in Marion County and across Indiana. Indicators that measure access to prenatal care, the number of preterm births, and the number of infant deaths are more problematic for Black and Hispanic (or Latino) populations than for White populations. The Indiana State Health Improvement Plan also identified the need to improve (and reduce racial and ethnic disparities for) birth outcomes across Indiana.

Child health and wellbeing also is problematic. Per-capita emergency room visits due to asthma for children aged 5-17 have been more than double the state average in Marion County. Marion County also has comparatively high numbers of children in poverty and in single-parent households.

Community members stated that a lack of affordable, safe housing is affecting child health. Youth mental health is worsening. Financial barriers and an undersupply of mental health providers are contributing to problematic trends. Community violence is causing child trauma and growing mental and physical health needs.

Mental Health and Access to Mental Health Services

Community members identified mental health status and access to mental health services as significant needs. Interviewees stated that mental health status (including depression and anxiety) is worsening.

While lessening, mental health stigma remains problematic within many populations, affecting those who need mental health services. The supply of mental health providers and services for children and for low-income persons is particularly problematic.

Community Health Network staff identified mental health status and access to mental health services as the top community health need in Marion County. Mental health status and access to mental health services were identified across all community meetings as significant needs

The federal government has designated Marion County's low-income population as a mental health care Health Professional Shortage Area.

The Indiana State Health Improvement Plan prioritized improved access to mental health services.

Obesity, Physical Inactivity, and Chronic Disease

Obesity and its contributing factors (including physical inactivity and improper nutrition) and associated chronic diseases, such as diabetes, are significant concerns in the CHE community. Marion County has comparatively high rates of obesity and physical inactivity. Comparatively fewer people have access to exercise opportunities.

Marion County's diabetes mortality rate has been above the state average. Across Indiana, mortality and incidence rates for diabetes have been significantly higher for Black populations.

Interviewees cited increasing rates of obesity (for adults and children) and diabetes as problems. More education is needed regarding healthy weight levels and nutrition.

Community Health Network staff identified obesity and physical inactivity as significant needs. The need to reduce the rate of chronic disease also was identified in the Indiana State Health Improvement Plan.

Social Determinants of Health

Social determinants of health (SDOH) are the conditions in the places where people live, learn, work, and play that affect a wide range of health and quality-of-life outcomes and risks. People living in low-income households generally are less healthy than those living in more prosperous areas. Marion County's poverty rate is above average. Poverty rates for Black and Hispanic (or Latino) residents are comparatively high, and Marion County compares unfavorably for children in poverty. Low-income census tracts are present throughout the CHE community.

Poverty was identified as a significant community health need by most community meeting participants and interviewees. Participants indicated that poverty impacts almost all areas of life, including access to health services, housing, healthy foods, and transportation.

Community health indices show that ZIP codes and census tracts throughout Marion County rank poorly for community need and vulnerability. These areas are also where the proportions of residents that are Black and Hispanic (or Latino) are highest.

Community meeting participants and interviewees identified racial and ethnic disparities in poverty rates and health as significant concerns. Differences in poverty rates and language and cultural barriers affect access to care and basic needs, particularly safe housing.

Consistent access to affordable, healthy food is important to health outcomes. In the 2020 County Health Rankings, Marion County ranked 89th out of 92 Indiana counties for food environment index, indicating that problems with food accessibility are present. Marion County's food environment index also is below average when compared to peer counties, Indiana, and the nation. Food deserts are prevalent throughout the community served by CHE – particularly in northern ZIP codes.

Participants in community meetings and interviewees identified food insecurity as a significant need that contributes to obesity and to the prevalence of numerous chronic diseases. Poverty and the high cost of healthy foods compared to unhealthy alternatives are contributing factors. Available food pantries were facing high demand and have been unable to meet growing needs.

Health insurance coverage rates in Marion County are below the Indiana and United States averages. Interviewees and internal hospital staff identified a lack of health insurance coverage as a significant barrier to optimal health for many residents who are unable to access preventive health services due to high costs.

Access to safe, affordable, and stable housing also was identified as a significant need. In County Health Rankings, Marion County ranked 91st worst out of 92 Indiana counties for severe housing problems. The percent of households burdened by high housing costs has been above average in seven of nine community ZIP codes, and a number of census tracts have been in the bottom quartile nationally for housing and transportation vulnerability.

Community meeting participants and interviewees cited impacts of poor housing on child health, including comparatively high rates of hospital admissions for asthma. Unstable housing also affects the mental health of adults and children throughout the community.

The Indiana State Health Improvement Plan identified addressing Social Determinants of Health as a priority and clearly linked SDOH-related issues to unfavorable health outcomes and inequities.

Substance Use Disorders and Overdoses

Substance Use Disorders and overdoses have been identified as significant and growing community health needs.

Between 2015 and 2019, drug poisoning deaths per 100,000 Marion County residents increased from 26.4 to 39.9 (51 percent) and exceeded Indiana averages. Marion County's mortality rates due to alcohol-related causes also have been above average.

Interviewees and community meeting participants identified access to Substance Use Disorder treatment as a significant need. Stakeholders indicated that Substance Use Disorders are becoming more prevalent as people are self-medicating for untreated mental health conditions.

Community Health Network staff identified overdoses and a lack of access to behavioral health and Substance Use Disorder treatment services as significant needs. The Indiana State Health Improvement Plan also prioritized the need to reduce injury and death due to opioid usage.

Data and Analysis

COMMUNITY DEFINITION

This section identifies the community that was assessed by Community Hospital East (CHE). The community was defined by considering the geographic origins of the hospital's discharges and emergency room visits in calendar year 2020.

CHE's community was defined as nine ZIP codes within Marion County, Indiana. These ZIP codes accounted for 75 percent of the hospital's 2020 inpatient volumes and 80 percent of its emergency room visits (Exhibit 1).

Exhibit 1: CHE Discharges and Emergency Room Visits, 2020

ZIP Code	County	Inpatient Discharges	Percent Discharges	ER Visits	Percent ER Visits
46219	Marion	1,484	17.2%	11,342	15.4%
46218	Marion	1,161	13.5%	12,596	17.1%
46201	Marion	913	10.6%	9,406	12.8%
46229	Marion	809	9.4%	6,057	8.2%
46226	Marion	789	9.2%	7,641	10.4%
46203	Marion	465	5.4%	3,841	5.2%
46235	Marion	460	5.3%	5,577	7.6%
46239	Marion	314	3.6%	2,355	3.2%
46107	Marion	59	0.7%	411	0.6%
From Co	mmunity	6,454	75.0%	59,226	80.4%
Other	Areas	2,152	25.0%	14,477	19.6%
Hospit	al Total	8,606	100.0%	73,703	100.0%

Source: Analysis of Community Health Network's utilization data, 2021.

The total population of the CHE community in 2019 was approximately 287,000 persons (Exhibit 2).

Exhibit 2: Community Population by ZIP Code, 2019

ZIP Code	County	Total Population 2019	Percent of Total Population
46107	Marion	13,081	4.6%
46201	Marion	30,962	10.8%
46203	Marion	38,581	13.5%
46218	Marion	28,918	10.1%
46219	Marion	36,940	12.9%
46226	Marion	45,652	15.9%
46229	Marion	28,768	10.0%
46235	Marion	33,063	11.5%
46239	Marion	30,651	10.7%
Commu	nity Total	286,616	100.0%

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

The hospital is located in Indianapolis, IN (ZIP Code 46219). **Exhibit 3** portrays CHE's community and ZIP code boundaries.

Community Hospital East hington 46236 46220 1.5 Miles 46055 46216 46228 Rocky Ripple 46226 46235 46205 Buck Creek 46218 70 46202 46140 46229 Warren Park Genter MARION HANGOGK 46222 Warren 46219 ·INDIANAPOLIS 46225 Sugar Creek 46203 46163 46239 Beech Grove New Palestine 46107 46237 SHELRY 46130 Perry 46126 46259 02020 CALIPER: 02019 HERE

Exhibit 3: Community Hospital East

Source: Caliper Maptitude, 2021.

SECONDARY DATA SUMMARY

The following section summarizes principal observations from the secondary data analysis. *See* Appendix B for more detailed information.

Demographics

Demographic characteristics and trends directly influence community health needs. The total population in the CHE community is expected to increase by 1.9 percent between 2019 and 2025, or approximately 2,500 people. ZIP codes 46235 and 46239 – both in eastern areas of the CHE community – are expected to grow the most, while ZIP codes closest to downtown Indianapolis are expected to decrease in population.

While the total community is expected to grow modestly, the population age 65 years and older is expected to increase by 10.1 percent over the same time period. This change should contribute to

greater demand for health services, as older individuals typically need and use more services than younger persons. ZIP codes 46107 and 46219 had the highest proportion of population aged 65 and older, each above 16 percent.

The CHE community has substantial variation in demographic characteristics across community ZIP codes. Across the total community, 35.8 percent of residents were Black. Three ZIP codes north of the hospital (ZIP codes 46218, 46235, 46226) all had a proportion of the population that was Black above 50 percent. The percent of the population that was Hispanic (or Latino) was 10.5 percent in the CHE community, with three ZIP codes above 13 percent (ZIP codes 46226, 46235, 46201).

Across Marion County, a higher proportion of adults were without a high school diploma than in Indiana and the United States. A higher proportion of the population was disabled compared to Indiana. Compared to the Indiana, proportionately more people in Marion are linguistically isolated.

Socioeconomic Indicators

People living in low-income households generally are less healthy than those living in more prosperous areas. In 2015-2019, approximately 17.8 percent of Marion County residents lived in poverty – above Indiana and United States averages of 13.4 percent. Low-income census tracts can be found throughout the CHE community, particularly in northern and western areas of the community, as well as in areas surrounding the hospital. These areas correlate to ZIP codes categorized as "higher need" by the Dignity Health/CommonSpirit Community Need IndexTM.

Poverty rates for Black (25 percent) and for Hispanic (or Latino) residents (29 percent) are substantially higher than rates for White residents (14 percent) in Marion County. Across Marion County and Indiana, poverty rates have been higher for Black, Asian, and Hispanic (or Latino) populations than for White populations.

Between 2016 and early 2020, unemployment rates in Marion County, Indiana, and the United States fell significantly. However, due to the COVID-19 pandemic, unemployment rose substantially in 2020 in all areas. The rise in unemployment contributed to numerous health-related factors, such as access to employer-based health insurance, housing and food insecurity, and access to health services. From 2016 through 2019, unemployment rates in Marion County were below national averages and in-line with Indiana averages. In 2020, the rate was above the state average.

The proportion of the population that did not have health insurance was higher in Marion County than in Indiana and the United States. However, unemployment related to COVID-19 likely resulted in an increase in uninsured community members and a corresponding reduction in access to health services.

Compared to Indiana averages, crime rates in Indianapolis are significantly higher, including a violent crime rate more than double the state average.

Across the CHE community, the percent of households that spent more than 30 percent of income on housing, a measure of housing burdened, was above the Indiana and United States averages. The rate of households experiencing housing burden was higher than state and national rates in seven of nine CHE community ZIP codes, and particularly high in ZIP codes in northern areas. These same areas correlate to areas in the bottom quartile nationally for social vulnerability, including for socioeconomic, household composition and disability, and minority status and language vulnerability.

Other Local Health Status and Access Indicators

In the 2020 *County Health Rankings*, Marion County ranked 72nd for health outcomes and 87th for health factors, both in the bottom quartile of 92 Indiana counties. Marion County ranked in the bottom 50th percentile among Indiana counties for 25 of the 41 indicators assessed. Of those, 17 were in the bottom quartile, including for low birthweight births, food environment index, high school graduation, children in poverty, and severe housing problems.

Marion County average rates of chlamydia, teen births, and violent crime are more than 50 percent worse than national averages.

Community Health Status Indicators ("CHSI") compares indicators for each county with those for peer counties across the United States. Each county is compared to 30 to 35 of its peers, which are selected based on socioeconomic characteristics such as population size, population density, percent elderly, percapita income, and poverty rates. Among peer counties, Marion County ranks in the bottom quartile for eight of the 34 indicators assessed, including years of potential life lost, obesity, access to exercise opportunities, teen births, violent crime, and air pollution.

This assessment was conducted throughout 2021 during the ongoing COVID-19 pandemic. Based on data available, Marion County had a higher rate of COVID-19 cases and deaths compared to rates in the United States. The county also had a lower proportion of the population vaccinated against COVID-19, and a higher percentage of adults hesitant about receiving the vaccine.

Sources of other secondary data assessed include the Indiana Department of Health, the Centers for Disease Control and Prevention, America's Health Rankings, the Health Resources and Services Administration, and the United States Department of Agriculture. Based on an assessment of available secondary data, the indicators presented in **Exhibit 4** appear to be most significant in the CHE community and Marion County.

An indicator is considered *significant* if it was found to vary materially from a benchmark statistic (e.g., an average value for Indiana, for peer counties, or for the United States). For example, 32.5 percent of Marion County's adults are obese; the average among peer counties is 28.0 percent. The last column of the exhibit identifies where more information regarding the data sources can be found in this report.

Exhibit 4: Significant Indicators

to disease	A	Makes		Fubible	
Indicator	Area	Value	Value	Area	Exhibit
65+ Population change, 2019-2025	Community ZIP Codes	10.1%	3.7%	Community ZIP Codes, Total	8
Percent linguistically isolated, 2015-2019	Marion County	6.3%	3.2%	Indiana	12
Poverty rate, 2015-2019	Marion County	17.8%	13.4%	Indiana	13
Poverty rate, Black, 2015-2019	Marion County	25.0%	13.7%	Marion County, White	14
Poverty rate, Hispanic (or Latino), 2015-2019	Marion County	28.8%	13.7%	Marion County, White	14
Percent children in poverty	Marion County	24.5%	17.5%	Indiana	28
Percent children in single-parent households	Marion County	47.1%	33.0%	United States	28
Percent without health insurance, 2015-2019	Marion County	10.5%	8.4%	Indiana	17
Percent households cost burdened, 2015-2019	Community ZIP Codes	36.0%	24.4%	Indiana	19
Percent households severe housing problems	Marion County	18.3%	13.2%	Indiana	28
High school graduation percentage	Marion County	75.9%	85.0%	United States	28
Violent crime rate per 100,000 population	Marion County	1,251	744	Peer counties	29
Homicide mortality per 100,000	Marion County	17.6	7.2	Indiana	31
Injury deaths per 100,000	Marion County	94.3	70.0	United States	28
Preventable hospital stays for ACSC conditions per 100,000 Medicare enrollees	Marion County	5,110	4,535	United States	28
Percent adults obese	Marion County	32.5%	28.0%	Peer counties	29
Food environment index	Marion County	6.7	7.6	United States	28
Drug poisoning mortality per 100,000	Marion County	39.9	26.6	Indiana	34
Alcohol-related mortality per 100,000	Marion County	13.4	10.4	Indiana	31
Infant mortality rate per 1,000 births	Marion County	8.1	7.2	Indiana	36
Infant mortality rate, Black infants, per 1,000	Marion County	12.4	5.5	Marion County, White	37
Low birthweight births	Marion County	9.6%	8.2%	Indiana	36
Teen births per 1,000 females ages 15-19	Marion County	36.0	25.4	Peer counties	29
Mothers receiving prenatal care 1st trimester	Marion County	61.3%	68.9%	Indiana	36
Mothers receiving prenatal care, Black	Marion County	55.8%	78.1%	Marion County, White	37
Mothers receiving prenatal care, Hispanic	Marion County	49.2%	78.1%	Marion County, White	37
ER visits due to asthma (age 5-17, per 10,000)	Marion County	121.0	49.7	Indiana	36
HIV and AIDS incidence per 100,000	Marion County	546.1	189.9	Indiana	35
Chlamydia incidence per 100,000	Marion County	1,114.0	526.3	Indiana	35
COVID-19 cases per 100,000 population	Marion County	13,851	13,281	United States	30

Source: Verité Analysis.

Indiana data were also assessed across racial and ethnic cohorts to identify potential disparities in mortality, health conditions, and Social Determinants of Health.

Black populations had particularly high mortality rates for numerous causes, including diabetes, high blood pressure, and heart disease, and compared unfavorably for rates of low birthweight births, preventable hospitalizations, severe housing problems, teen births, children in poverty, and chlamydia.

Hispanic or Latino populations compared unfavorably for a variety of indicators, including chronic liver disease mortality, avoiding healthcare due to cost, children in poverty, crowded housing, high school graduation, non-medical drug use, and severe housing problems.

White populations compared unfavorably for mortality due to chronic lower respiratory disease, Alzheimer's disease, and suicide, as well as incidence rates of arthritis, cancer, depression, and high cholesterol.

These and other differences indicate the presence of racial and ethnic health inequities and disparities throughout Indiana and in the CHE community.

Food Deserts

The U.S. Department of Agriculture's Economic Research Service identifies census tracts that are considered "food deserts" because they include lower-income persons without supermarkets or large grocery stores nearby. Food deserts are found throughout the CHE community, particularly in northern areas.

Medically Underserved Areas and Populations

Medically Underserved Areas and Populations (MUA/Ps) are designated by the Health Resources and Services Administration based on an "Index of Medical Underservice." Census tracts throughout the CHE community have been designated as MUAs, including in areas proximate to the hospital.

Health Professional Shortage Areas

A geographic area can receive a federal Health Professional Shortage Area (HPSA) designation if a shortage of primary medical care, dental care, or mental health care professionals is present. Census tracts designated as Primary Care HPSAs are found throughout the CHE community, concentrated in western areas and in areas proximate to the hospital. Dental Care HPSAs can be found west of the hospital, nearing downtown Indianapolis. The entire low-income population of Marion County has been designated a Mental Health Care HPSA, as well as several health centers throughout the county.

CDC COVID-19 Prevalence and Mortality Findings

The Centers for Disease Control and Prevention (CDC) provides information, data, and guidance regarding the COVID-19 pandemic. The pandemic represents a public health emergency for Indiana and the United States. The pandemic also has exposed the significance of problems associated with long-standing community health issues, including racial health inequities, chronic disease, access to health services, mental health, and related issues.

Part of the CDC's work has included identifying certain populations that are most at risk for severe illness and death due to the pandemic. Based on that work, many at-risk people live in the community served by Community Hospital East. Populations most at risk include:

DATA AND ANALYSIS

Older adults;

People with certain underlying medical conditions, including cancer, chronic kidney disease, COPD, obesity, serious heart conditions, diabetes, sickle cell disease, asthma, hypertension, immunocompromised state, and liver disease;

People who are obese and who smoke;

Pregnant women; and,

Black, Hispanic (or Latino), and American Indian or Alaska Native persons.

According to the CDC, "long-standing systemic health and social inequities have put some members of racial and ethnic minority groups at increased risk of getting COVID-19 or experiencing severe illness, regardless of age."

Findings of Other CHNAs

In 2018, the Indiana State Department of Health published State Health Assessment (SHA) and State Health Improvement Plan (SHIP). The Department of Health staff produced the SHA with support from partners from Indiana, available epidemiological data, and key informant interviews. From this process, below are key issues identified for Indiana.

- Social Determinants of Health and health equity "conditions in the environment that affect a broad range of health and quality of life outcomes;"
- Improving public health infrastructure (funding and culture/quality of public health practice);
 and
- Improving health and reducing health disparities, specifically chronic disease, birth outcomes/infant mortality, reduced injury, and death due to opioid exposure, and improved access to mental health services.

PRIMARY DATA SUMMARY

Primary data were gathered through online community meetings, key stakeholder interviews, and a survey issued to Community Health Network staff. Four community meetings relevant to CHE were conducted. Interviews were conducted by phone or online video conferences, and meetings were conducted by online video conferences.

See Appendix C for information regarding those who participated in the community input process.

Community Meetings

Four community meetings were held in May 2021 to receive input from stakeholders regarding the health needs in Marion County. These meetings were conducted in collaboration with other Indiana health systems – Ascension St. Vincent's Indiana, and IU Health.

Fifty-three (53) stakeholders participated in the four Marion County community meetings. These individuals represented organizations such as local health departments, non-profit organizations, faithbased organizations, health care providers, and local policymakers.

Each meeting began with a presentation that discussed the goals and status of the CHNA process and the purpose of the community meetings. Next, secondary data were presented, along with a summary of the most unfavorable community health indicators from this data. Each group was then asked questions about the preliminary list, including their reactions, additions to the proposed needs, thoughts regarding the causes of the needs, impacts of the COVID-19 pandemic, and others.

After discussing the needs identified through secondary data and adding others to the list, participants in each meeting were asked through an online survey process to identify "three to five" they consider the most significant. From this process, participants identified the following needs as most significant for Marion County:

Racial and ethnic health disparities;
Access to mental and behavioral health care services;
Food insecurity and access to affordable, healthy food;
Access to safe and affordable housing;
Mental health; and

Poverty and associated community needs.

Preliminary needs identified include a wide-array of topics, including the COVID-19 pandemic, food insecurity, maternal and child health, racial and ethnic disparities, mental health and access to mental

health providers, obesity and physical inactivity, poverty, educational achievement, housing, crime and community safety, public health funding, and others.

In addition to these topics, participants focused discussion around Substance Use Disorder and treatment, transportation barriers, cultural-appropriate care and services (including language barriers), affordability of healthy food, smoking and tobacco use, access to and cost of primary care, health insurance, preventive health services, lack of providers within high-need areas, childcare, chronic conditions (including diabetes and hypertension), navigating existing resources, dental health needs, child health, job opportunities and trainings, technology barriers and digital-divide, post-incarceration resources, and social connectedness.

Key Stakeholder Interviews

Four (4) interviews were conducted to learn about community health issues in Marion County. Participants included individuals representing public health departments, health equity organizations, and organizations that focus on child wellbeing.

Questions focused first on identifying and discussing health issues in the community before the COVID-19 pandemic began. Interviews then focused on the pandemic's impacts and on what has been learned about the community's health given those impacts. Stakeholders also were asked to describe the types of initiatives, programs, and investments that should be implemented to address the community's health issues and to be better prepared for future risks.

Stakeholders most frequently identified the following issues as significant before the COVID-19 pandemic began.

Poverty is a significant issue and impacts almost all areas of life, including access to health services, housing, healthy foods, and transportation, as well as negatively affecting mental and physical health. The need for a living wage for all residents is significant.

Health disparities and inequities are significant, including large disparities in Social Determinants of Health for racial and ethnic minority populations.

A lack of adequate health insurance coverage is a significant barrier to optimal health, with coverage restrictions leading residents to not pursue preventive health measures such as checkups and screenings.

Mental health is a significant and worsening issue, with depression and anxiety both widespread. Self-medication through Substance Use Disorder is common. Youth mental health concerns are also increasing due to a variety of reasons, including online presence making bullying easier. Access to mental health services and youth mental health providers is limited due to low supply of providers and financial barriers.

A lack of healthy lifestyles is noticeable as obesity continues to be an issue, as well as increasing rates of diabetes. Childhood obesity is also a concern, as parents lack an understanding of childhood weight.

DATA AND ANALYSIS

Infant and maternal mortality are significant issues, with social determinants of health impacting access to prenatal care and other needed services. This issue disproportionately affects Black infants.

HIV and AIDS concerns persist, with some hope that the disease can be eradicate within the next decade through modern medicine and available tools such as PrEP.

Smoking, tobacco use, and the recent increases in vaping (particularly among youth) are issues, with a low cigarette tax in Indiana helping perpetuate the issue.

Environmental health issues – including old housing and air pollution – is leading to poor health outcomes, particularly among children (such as including lead poisoning and asthma). The need for safe, affordable, and stable housing is significant.

Community violence is an issue, including homicide. These issues are causing trauma, particularly in children, leading to increased mental health concerns.

Health literacy is a need, particularly affecting Hispanic populations due to language barriers. Education disparities around health are also leading to generational persistence of health disparities for racial and ethnic minority populations. Immigrant children are also underserved due to cultural and language barriers.

The ability to access health foods and food insecurity are significant concerns, and food pantries may have irregular hours and face huge demand. These issues contribute largely to obesity and chronic conditions.

Education needs better funding, including adequate teacher compensation, to improve educational achievement.

More community collaboration is needed, with health systems and social service providers sitting at the same table to talk about community improvement and planned interventions.

Interviewees were also asked to discuss the impacts of the COVID-19 pandemic. The following impacts were discussed:

Initial COVID-19 testing was a large challenge due to inadequate federal resources and other limits.

The pandemic highlighted the impact of Social Determinants of Health, as houseless populations faced huge concerns due to inability to socially distance in shelters and access care. Hotels were turned into isolation areas for COVID patients.

Racial and ethnic disparities in testing, treatment, and outcomes were highlighted by the pandemic. Elderly Black residents were particularly affected.

Care was delayed for a lot of individuals due to fear of going to a provider and being exposed to the virus, leading to unmet needs and emergency situations.

Community collaboration among providers led to a better response, including health systems offering testing and other aid to public health organizations. More collaboration and coordination will be needed in the future.

Vaccination disparities are evident, with Black populations unable to access the vaccine if desired disproportionately.

The pandemic highlighted the need for better health information sharing between organizations and health disparity information.

Community Health Network Staff Survey

An online survey also was distributed to Community Health Network staff. A list of health needs was presented (as well as an area to add additional needs not included in the list), and respondents were asked to identify the three to five they considered to be most significant. From this process, the following needs were identified most often by respondents whose facilities serve communities in Marion County:

Mental health (including depression, anxiety, and other mental health disorders);
Access to mental health services;
Cost of care and health insurance;
Substance Use Disorders and overdoses;
COVID-19 pandemic; and
Obesity and physical inactivity.

Other Facilities and Resources in the Community

This section identifies other facilities, clinics, and resources available in the Community Hospital East community that are available to address community health needs.

HOSPITALS

Exhibit 5 presents information on hospital facilities located in CHE community ZIP codes.

Exhibit 5: Hospitals Located in Community, 2021

Hospital	Address	City	ZIP Code	County
Community Hospital East	1500 N Ritter Ave	Indianapolis	46219	Marion
Neurodiagnostic Institute	5435 E 16th St	Indianapolis	46218	Marion
Options Behavioral Health System	5602 Caito Drive	Indianapolis	46226	Marion

Source: Indiana Department of Health, 2021.

FEDERALLY QUALIFIED HEALTH CENTERS

Federally Qualified Health Centers (FQHCs) are established to promote access to ambulatory care in areas designated as "medically underserved." These clinics provide primary care, mental health, and dental services for lower-income members of the community. FQHCs receive enhanced reimbursement for Medicaid and Medicare services and most also receive federal grant funds under Section 330 of the Public Health Service Act. There currently are 31 FQHC site operating in the community (Exhibit 6).

Exhibit 6: Federally Qualified Health Centers Located in Community, 2021

Name	Address	City	ZIP Code	County
Arlington Community High School Based Clinic - IPS	4825 N Arlington Ave	Indianapolis	46226	Marion
Barrington Health Center	3401 E Raymond St	Indianapolis	46203	Marion
Charles W. Fairbanks IPS School 105	8620 Montery Rd	Indianapolis	46226	Marion
Eskenazi Health Center Forest Manor	3840 N Sherman Dr	Indianapolis	46226	Marion
Eskenazi Health Center Grassy Creek	9443 E 38th St	Indianapolis	46235	Marion
Eskenazi Health Center North Arlington	2505 N Arlington Ave	Indianapolis	46218	Marion
Harshman Middle School	1501 E 10th St	Indianapolis	46201	Marion
HealthNet Administration	3403 E Raymond St	Indianapolis	46203	Marion
Interfaith Hospitality Network	1850 N Arsenal Ave	Indianapolis	46218	Marion
IPS 54 School Based Clinic - Brookside Academy	3150 E 10th St Ste 100	Indianapolis	46201	Marion
IPS School 34 - Eleanor Skillen	1404 Wade St Rm 129	Indianapolis	46203	Marion
IPS School 88 - Anna Brochhausen	5801 E 16th St Rm 413	Indianapolis	46218	Marion
James Russel Lowell IPS School 51	3426 Roosevelt Ave	Indianapolis	46218	Marion
Jane Pauley Community Health Center Administraive Offices	1503 N Mitthoeffer Rd	Indianapolis	46229	Marion
Jane Pauley Community Health Center at 16th Street	5317 E 16th St	Indianapolis	46218	Marion
Jane Pauley Community Health Center at Arlington	1315 N Arlington Ave	Indianapolis	46219	Marion
Jane Pauley Community Health Center at Post	8931 E 30th St	Indianapolis	46219	Marion
Jane Pauley Community Health Center at Shadeland	2040 N Shadeland Ave Ste 300	Indianapolis	46219	Marion
Kindezi Academy - Charter School	3421 N Keystone Ave Rm 007	Indianapolis	46218	Marion
Kipp Indy Legacy Clinic	2255 Ralston Ave Rm 106	Indianapolis	46218	Marion
KIPP School Based Health Center	1740 E 30th St	Indianapolis	46218	Marion
Martindale Brightwood Health Center	2855 N Keystone Ave Ste 100	Indianapolis	46218	Marion
Peoples Health Center	2340 E 10th St	Indianapolis	46201	Marion
Ralph Waldo Emerson IPS School 58	321 N Linwood Ave	Indianapolis	46201	Marion
Sankofa at Arlington Woods#99	5801 E 30th St Rm 104	Indianapolis	46218	Marion
Southeast Health Center	901 Shelby St	Indianapolis	46203	Marion
Tech Teen Clinic	1500 E Michigan St	Indianapolis	46201	Marion
Thomas D. Gregg School 15	2302 E Michigan St Rm 404	Indianapolis	46201	Marion
Wheeler Shelter for Women and Children Clinic	3208 E Michigan St	Indianapolis	46201	Marion
William McKinley School 39	1733 Spann Ave Rm 404	Indianapolis	46203	Marion
Source: HRSA, 2021.	•	•	•	•

Source: HRSA, 2021.

According to data published by HRSA, FQHCs in the CHE community served 31 percent of uninsured persons and 61 percent of Medicaid recipients. Nationally, FQHCs served 22 percent of uninsured patients and 19 percent of the nation's Medicaid recipients.¹

OTHER COMMUNITY RESOURCES

Many social services and resources are available throughout Indiana to assist residents. The State of Indiana Family and Social Services Administration maintains the IN211 database, a free service that connects Hoosiers with help and answers from thousands of health and human service agencies and

¹ See: https://www.nachc.org/research-and-data/research-fact-sheets-and-infographics/chartbook-2020-final/ and https://www.udsmapper.org/.

resources. 211 services are available 24/7 and maintain information of resources for the following categories:

Children and family
Education and employment
Food and clothing
Health care
Housing and utility assistance
Mental health and addiction
Tax assistance

Additional information about these resources and participating providers can be found at: https://in211.communityos.org/.

Appendix

Appendix A – Objectives And Methodology

REGULATORY REQUIREMENTS

Federal law requires that tax-exempt hospital facilities conduct a CHNA every three years and adopt an Implementation Strategy that addresses significant community health needs.² In conducting a CHNA, each tax-exempt hospital facility must:

Define the community it serves;

Assess the health needs of that community;

Solicit and take into account input from persons who represent the broad interests of that community, including those with special knowledge of or expertise in public health;

Document the CHNA in a written report that is adopted for the hospital facility by an authorized body of the facility; and,

Make the CHNA report widely available to the public.

The CHNA report must include certain information including, but not limited to:

A description of the community and how it was defined,

A description of the methodology used to determine the health needs of the community, and A prioritized list of the community's health needs.

² Internal Revenue Code, Section 501(r).

APPENDIX

METHODOLOGY

CHNAs seek to identify significant health needs for particular geographic areas and populations by focusing on the following questions:

Who in the community is most vulnerable in terms of health status or access to care?What are the unique health status and/or access needs for these populations?Where do these people live in the community?Why are these problems present?

The focus on **who** is most vulnerable and **where** they live is important to identifying groups experiencing health inequities and disparities. Understanding **why** these issues are present is challenging but is important to designing effective community health improvement initiatives. The question of **how** each hospital can address significant community health needs is the subject of the separate Implementation Strategy.

Federal regulations allow hospital facilities to define the community they serve based on "all of the relevant facts and circumstances," including the "geographic location" served by the hospital facility, "target populations served" (e.g., children, women, or the aged), and/or the hospital facility's principal functions (e.g., focus on a particular specialty area or targeted disease)." Accordingly, the community definition considered the geographic origins of the hospital's patients and also the hospital's mission, target populations, principal functions, and strategies.

Data from multiple sources were gathered and assessed, including secondary data⁴ published by others and primary data obtained through community input. Input from the community was received through key stakeholder interviews and online community meetings. Stakeholders and community meeting participants represented the broad interests of the community and included individuals with special knowledge of or expertise in public health. *See* Appendix C. Considering a wide array of information is important when assessing community health needs to ensure the assessment captures a wide range of facts and perspectives and to increase confidence that significant community health needs have been identified accurately and objectively.

Certain community health needs were determined to be "significant" if they were identified as problematic in at least two of the following three data sources: (1) the most recently available secondary data regarding the community's health, (2) recent assessments developed by the state and local organizations, and (3) input from community stakeholders who participated in the community meeting, interview process, and staff surveys.

³ 501(r) Final Rule, 2014.

⁴ "Secondary data" refers to data published by others, for example the U.S. Census and the Indiana Department of Health.

[&]quot;Primary data" refers to data observed or collected from first-hand experience, for example by conducting interviews.

APPENDIX

In addition, data were gathered to evaluate the impact of various services and programs identified in Community Health Network's previous CHNA process. *See* Appendix E.

Collaborating Organizations

For this community health assessment, Community Hospital East collaborated with the following Community Health Network hospitals: Community Fairbanks Recovery Center, Community Hospital Anderson, Community Hospital North, Community Hospital South, and Community Howard Regional Health. These facilities collaborated through gathering and assessing secondary data together, conducting community meetings and key stakeholder interviews, and relying on shared methodologies, report formats, and staff to manage the CHNA process.

Community Health Network also collaborated with other Indiana health systems to collect primary data through online community meetings and key stakeholder interviews. These health systems include Ascension St. Vincent's Indiana, IU Health, and Riverview Health.

Data Sources

Community health needs were identified by collecting and analyzing data from multiple sources. Statistics for numerous community health status, health care access, and related indicators were analyzed, including data provided by local, state, and federal government agencies, local community service organizations, and Community Health Network. Comparisons to benchmarks were made where possible. Findings from recent assessments of the community's health needs conducted by other organizations (e.g., local health departments) were reviewed as well.

Input from persons representing the broad interests of the community was taken into account through key informant interviews (4 participants) and community meetings (53 participants). Stakeholders included: individuals with special knowledge of or expertise in public health; local public health departments; hospital staff and providers; representatives of social service organizations; representatives of faith-based organizations; representatives of local universities and schools; and leaders, representatives, and members of medically underserved, low-income, and minority populations.

Community Health Network posts CHNA reports and Implementation Plans online at https://www.ecommunity.com/community-benefit/archived-reports.

Consultant Qualifications

Verité Healthcare Consulting, LLC (Verité) was founded in May 2006 and is located in Arlington, Virginia. The firm serves clients throughout the United States as a resource that helps hospitals conduct Community Health Needs Assessments and develop Implementation Strategies to address significant

health needs. Verité has conducted more than 100 needs assessments for hospitals, health systems, and community partnerships nationally since 2012.

The firm also helps hospitals, hospital associations, and policy makers with community benefit reporting, program infrastructure, compliance, and community benefit-related policy and guidelines development. Verité is a recognized national thought leader in community benefit, 501(r) compliance, and Community Health Needs Assessments.

Appendix B – Secondary Data Assessment

This section presents an assessment of secondary data regarding health needs in the Community Hospital East (CHE) community. The CHE community is defined as nine ZIP codes, all within Marion County, Ind.

DEMOGRAPHICS

Exhibit 7: Change in Community Population by ZIP Code, 2019 to 2025

ZIP Code	County	Total Population 2019	Projected Population 2025	Percent Change 2019 - 2025
46107	Marion	13,081	13,603	3.8%
46201	Marion	30,962	27,147	-14.1%
46203	Marion	38,581	38,182	-1.0%
46218	Marion	28,918	24,878	-16.2%
46219	Marion	36,940	36,160	-2.2%
46226	Marion	45,652	45,265	-0.9%
46229	Marion	28,768	31,790	9.5%
46235	Marion	33,063	37,138	11.0%
46239	Marion	30,651	38,117	19.6%
Commu	nity Total	286,616	292,281	1.9%

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

DESCRIPTION

Exhibit 7 portrays the estimated population by ZIP code in 2019 and projected to 2025.

OBSERVATIONS

Between 2019 and 2025, the CHE community is expected a slight increase in population of 1.9 percent.

ZIP codes 46239 (19.6 percent) and 46235 (11.0 percent) are expected to grow the most between 2019 and 2025.

Exhibit 8: Change in Community Population by Age Cohort, 2019 to 2025

Age Cohort	Total Population 2019	Projected Population 2025	Percent Change 2019 - 2025
Age 0 - 19	82,027	84,107	2.5%
Age 20 - 44	99,024	99,657	0.6%
Age 45 - 64	70,327	74,528	5.6%
Age 65 and Older	35,238	39,195	10.1%
Community Total	286,616	297,487	3.7%

DESCRIPTION

Exhibit 8 shows CHE's community population for certain age cohorts in 2019, with projections to 2025.

OBSERVATIONS

While the total population is expected to increase by 3.7 percent, the population aged 65 and older is expected to increase by 10.1 percent during the time period.

The growth of older populations is likely to lead to greater demand for health services, since older individuals typically need and use more services than younger persons.

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.
*Note: Difference in projected total population from Exhibit 7 due to age projection methodology differing than total population methodology.




Exhibit 9: Percent of Population - Aged 65+, 2019

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, and Caliper Maptitude.

DESCRIPTION

Exhibit 9 portrays the percent of the population 65 years of age and older by ZIP code.

OBSERVATIONS

ZIP codes 46107 and 46219 had the highest proportion of population aged 65 and older, each above 16 percent.

At 8.0 percent, ZIP code 46235 has the lowest proportion.




Exhibit 10: Percent of Population - Black, 2019

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, and Caliper Maptitude.

DESCRIPTION

Exhibit 10 portrays the percent of the population – Black by ZIP code.

OBSERVATIONS

ZIP code 46218 has the highest proportion of Black residents at 72.5 percent. ZIP codes 46235 and 46226 both have a proportion above 50 percent.

For all community ZIP codes, the proportion of Black residents is 35.8 percent.




Exhibit 11: Percent of Population – Hispanic (or Latino), 2019

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, and Caliper Maptitude.

DESCRIPTION

Exhibit 11 portrays the percent of the population – Hispanic (or Latino) by ZIP code.

OBSERVATIONS

ZIP codes 46226, 46235, and 46201had the highest proportion of Hispanic (or Latino) residents, each between 13 and 14 percent.

For all community ZIP codes, the proportion of Hispanic residents is 10.5 percent.

Exhibit 12: Selected Socioeconomic Indicators, 2015-2019

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

Marion County

DESCRIPTION

Exhibit 12 portrays the percent of the population (aged 25 years and above) without a high school diploma, with a disability, and linguistically isolated in Marion County, Indiana, and the United States. Linguistic isolation is defined as residents who speak a language other than English and speak English less than "very well."

Indiana

United States

OBSERVATIONS

In 2015-2019, a higher percentage of Marion County residents aged 25 and older were without a high school diploma than residents of Indiana and the United States.

Proportionately more people were disabled in Marion County than in the United States, but below the Indiana average.


Compared to the Indiana, proportionately more people in Marion are linguistically isolated.

SOCIOECONOMIC INDICATORS

This section includes indicators for poverty, unemployment, health insurance status, crime, housing affordability, and "social vulnerability." All have been associated with health status.

People in Poverty

Exhibit 13: Percent of People in Poverty, 2015-2019



Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

DESCRIPTION

Exhibit 13 portrays poverty rates in Marion County, Indiana, and the United States.

OBSERVATIONS

In 2015-2019, the overall poverty rate in Marion County was above Indiana and United States averages.

35% 28.8% 30% 26.9% 25.0% 25% 23.0% 22.4% 19.6% 18.3%18.4% 20% 13.7% 15% 11.2%11.1% 10.9% 10% 5% 0% White Hispanic (or Latino) Black Asian ■ Marion County ■ Indiana United States

Exhibit 14: Poverty Rates by Race and Ethnicity, 2015-2019

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

DESCRIPTION

Exhibit 14 portrays poverty rates by race and ethnicity.

OBSERVATIONS

In Marion County, poverty rates were higher for Black, Asian, and Hispanic (or Latino) populations than for White populations. Rates for Black and Hispanic (or Latino) populations were approximately double the rates of White populations.

Compared to Indiana averages, proportionately more White and Hispanic (or Latino) residents were in poverty.




Exhibit 15: Low Income Census Tracts, 2019

Source: US Department of Agriculture Economic Research Service, ESRI, 2021.

DESCRIPTION


Exhibit 15 portrays the location of federally designated low-income census tracts.

OBSERVATIONS

In 2019, low-income census tracts were present throughout the CHE community, particularly in the north and west (including areas proximate to the hospital).

Unemployment

Exhibit 16: Annual Unemployment Rates, 2016 to 2020



Source: Bureau of Labor Statistics, 2021.

DESCRIPTION

Exhibit 16 shows annual unemployment rates compared to Indiana and the United States for 2016 through 2020.

OBSERVATIONS


Unemployment rates declined steadily from 2016 through 2019. Due to fallout from the COVID-19 pandemic, unemployment rates rose substantially in 2020.

In 2020, the unemployment rate in Marion County was above the Indiana average, but below the national average. From 2016 through 2019, the Marion County rate was in line with the state rate.

The rise in unemployment contributed to numerous health-related factors, such as access to employer-based health insurance, housing and food insecurity, and access to health services.

Health Insurance Status

Exhibit 17: Percent of Population without Health Insurance, 2015-2019



Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

DESCRIPTION

Exhibit 17 presents the estimated percent of population without health insurance.

OBSERVATIONS

Marion County has had a higher percentage of the population without health insurance than Indiana and the United States.

Recent spikes in unemployment likely are leading to more uninsured community members.

Crime Rates

Exhibit 18: Crime Rates by Type, Per 100,000, 2018

Crime Type	City of Indianapolis	Indiana
Violent Crime	1,272.8	382.3
Murder and Non-Negligent Manslaughter	18.5	6.5
Rape	77.1	35.4
Robbery	351.1	88.7
Aggravated Assault	826.1	251.6
Property Crime	4,129.2	2,179.3
Burglary	893.6	377.6
Larceny - Theft	2,671.9	1,572.7
Motor Vehicle Theft	563.7	229.1

Source: Federal Bureau of Investigation, 2019.

DESCRIPTION

Exhibit 18 provides crime statistics and rates per 100,000 for the City of Indianapolis and state. Crime data were not available at the county-wide level. Light grey shading indicates rates above the Indiana average; dark grey shading indicates rates more than 50 percent above the average.

OBSERVATIONS

Rates in Indianapolis were significantly above state rates for all crime types.

Housing Affordability

Exhibit 19: Percent of Households – Housing Burdened, 2015-2019

ZIP Code	County	Occupied Housing Units	Excessive Housing Costs (30%+ of Income)	Percent Housing Burdened
46107	Marion	5,040	1,213	24.1%
46201	Marion	13,048	4,793	36.7%
46203	Marion	14,090	5,203	36.9%
46218	Marion	12,459	5,495	44.1%
46219	Marion	15,885	5,776	36.4%
46226	Marion	18,275	7,321	40.1%
46229	Marion	10,984	3,454	31.4%
46235	Marion	12,130	4,721	38.9%
46239	Marion	10,028	2,269	22.6%
Commu	nity Total	111,939	40,245	36.0%
Ind	iana	2,570,419	626,325	24.4%
United	d States	120,756,048	37,249,895	30.8%

Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, via mySidewalk.

Percent Housing Burdened 46256 46236 hington 46220 30% and Below 30% to 36% 46055 36% to 38% 46216 38% to 44% 44% and Above 0 1.5 3 Miles 46226 46235 46205 46208 · Buck Creek 46202 46140 46229 Warren Park 46222 • Center 46201 Warren 46219 · INDIANAPOLIS 46225 Sugar Creek 46203 46163 46239 Beech Grove · New Palestine 46107 46227 46217 46237 46130 Perry 46126 46259 Source: US Census, ACS 5-Year Estimates (2015-2019), 2020, and Caliper Maptitude.

Exhibit 20: Map of Percent of Housing Burdened Households, 2015-2019

DESCRIPTION

The U.S. Department of Health and Human Services ("HHS") identifies "housing burdened" as those spending more than 30 percent of income on housing and as a contributor to poor health outcomes.⁵ Exhibits 19 and 20 portray the percent of household spending on housing in the community.

OBSERVATIONS

As stated by the Federal Reserve, "households that have little income left after paying rent may not be able to afford other necessities, such as food, clothes, health care, and transportation." 6

In CHE community ZIP codes, 36 percent of households have been designated as "housing burdened," a level above both the Indiana and United States averages. Seven (7) of 9 community ZIP codes are above state and national averages.

The percentage of occupied households cost burdened was highest in ZIP codes 46218 (44 percent) and 46226 (40 percent).

Housing insecurity became more problematic due to the COVID-19 pandemic.

 $^{^{5}\,\}underline{\text{https://health.gov/healthypeople/objectives-and-data/browse-objectives/housing-and-homes/reduce-proportion-families-spend-more-30-percent-income-housing-sdoh-04}$

⁶ Ibid.

Dignity Health Community Need Index[™]

Exhibit 21: Weighted Average Community Need IndexTM Score by ZIP Code, 2021

ZIP Code	County	CNI Score
46218	Marion	5.0
46201	Marion	4.8
46203	Marion	4.8
46226	Marion	4.8
46235	Marion	4.8
46219	Marion	4.2
46229	Marion	4.2
46107	Marion	3.8
46239	Marion	2.2
Commu	nity Total	4.4
Marion County		3.8
United	States	3.0

Source: CommonSpirit Health, 2021.
Note: CNI scores weighted by the number of people living within each area.




Exhibit 22: Community Need Index, 2021

Perry Source: CommonSpirit Health, 2021, and Caliper Maptitude.

DESCRIPTION

46217

Exhibits 21 and 22 present Community Need Index™ (CNI) scores. Higher scores (e.g., 4.2 to 5.0) indicate the highest levels of community need. The index is calibrated such that 3.0 represents a U.S.-wide median score.

46259

46126

CommonSpirit Health (formerly Dignity Health) developed the CNI as a way to assess barriers to health care access. The index, available for every ZIP code in the United States, consists of five social and economic indicators:

The percentage of elders, children, and single parents living in poverty;

46237

The percentage of adults over the age of 25 with limited English proficiency, and the percentage of the population that is non-White;

The percentage of the population without a high school diploma;

The percentage of uninsured and unemployed residents; and

The percentage of the population renting houses.

CNI scores are grouped into "Lowest Need" (1.0-1.7) to "Highest Need" (4.2-5.0) categories.

46130

OBSERVATIONS

At 4.4, the weighted average CNI score for CHE ZIP codes is significantly higher than the U.S. median and above the Marion County average. Seven (7) of 9 community ZIP codes scored in the "highest need" category.

ZIP code 46218 received a score of 5.0, the highest possible on the CNI scale.

Centers for Disease Control and Prevention Social Vulnerability Index (SVI)

Socieconomic 46256 46236 Washington 46220 Top Quartile .75 1.5 North Crows Nest 46055 Miles 46216 Rocky Ripple 46226 46235 46205 Buck Creek 46218 46140 4622 Warren Park • Center 46201 46222 46219 ·INDIANAPOLIS · Sugar Creek 46163 46239 New Palestine 46227 46237 Franklin 46130 46126 46259

Exhibit 23: Socioeconomic Index - Top Quartile Census Tracts

Source: Centers for Disease Control and Prevention, 2020, and Caliper Maptitude.

DESCRIPTION

Exhibits 23 through 26 are maps that show the Center for Disease Control and Prevention's *Social Vulnerability Index* (SVI) scores for census tracts throughout the community. Highlighted census tracts are in the top quartile nationally for different indicators on which the SVI is based.

The SVI is based on 15 variables derived from U.S. census data. Variables are grouped into four themes, including:

- Socioeconomic status;
- Household composition;
- Race, Ethnicity, and Language; and
- Housing and transportation.

APPENDIX

Exhibits 23 through 26 highlight SVI scores for each of these themes.

Exhibit 23 identifies census tracts in the top quartile nationally for socioeconomic vulnerability.

OBSERVATIONS

• Census tracts with the highest levels of socioeconomic vulnerability are located in northern and western areas of the community, including in areas proximate to the hospital.




Exhibit 24: Household Composition and Disability Index – Top Quartile Census Tracts

Source: Centers for Disease Control and Prevention, 2020, and Caliper Maptitude.

DESCRIPTION

Exhibit 24 identifies census tracts in the top quartile nationally for household composition and disability vulnerability.

OBSERVATIONS

 Census tracts throughout community ZIP codes are in the top quartile for household composition and disability vulnerability, including in areas proximate to the hospital.




Exhibit 25: Minority Status and Language Index - Top Quartile Census Tracts

Source: Centers for Disease Control and Prevention, 2018, and Caliper Maptitude.

DESCRIPTION

Exhibit 25 identifies census tracts in the top quartile nationally for minority status and language vulnerability.

OBSERVATIONS

Census tracts in the northern and western areas of the community are in the top quartile for minority status and language vulnerability.




Exhibit 26: Housing Type and Transportation Index - Top Quartile Census Tracts

Source: Centers for Disease Control and Prevention, 2018, and Caliper Maptitude.

DESCRIPTION

Exhibit 26 identifies census tracts in the top quartile nationally for housing type and transportation vulnerability.

OBSERVATIONS

Census tracts throughout community ZIP codes are in the top quartile for housing and transportation vulnerability, including in areas proximate to the hospital.

OTHER HEALTH STATUS AND ACCESS INDICATORS

County Health Rankings

Exhibit 27: County Health Rankings, 2020

	Marian
Measure	Marion County
Health Outcomes	72
Health Factors	87
Length of Life	76
Quality of Life	69
Poor or fair health	63
Poor physical health days	28
Poor mental health days	12
Low birthweight	89
Health Behaviors	68
Adultsmoking	34
Adult obesity	31
Food environment index	89
Physical inactivity	25
Access to exercise opportunities	4
Excessive drinking	66
Alcohol-impaired driving deaths	39
Sexually transmitted infections	92
Teen births	75
Clinical Care	36
Uninsured	84
Primary care physicians	12
Dentists	1
Mental health providers	2
Preventable hospital stays	52
Mammography screening	38
Flu Vaccinations	37
Social & Economic Factors	92
High school graduation	91
Some college	21
Unemployment	51
Children in poverty	85
Income inequality	88
Children in single-parent households	92
Social associations	52
Violent crime	63
Injury deaths	74
Physical Environment	88
Air pollution - particulate matter	87
Severe housing problems	91
Driving alone to work	31
Long commute - driving alone Source: County Health Bankings, 2020	29

Source: County Health Rankings, 2020.

APPENDIX

DESCRIPTION

Exhibit 27 presents *County Health Rankings*, a University of Wisconsin Population Health Institute initiative funded by the Robert Wood Johnson Foundation that incorporates a variety of health status indicators into a system that ranks each county/city within each state in terms of "health factors" and "health outcomes." The health factors and outcomes are composite measures based on several variables grouped into the following categories: health behaviors, clinical care, ⁷ social and economic factors, and physical environment. ⁸ *County Health Rankings* is updated annually. *County Health Rankings* 2020 relies on data from 2012 to 2018. Most data are from 2015 to 2019.

The exhibit presents 2020 rankings for each available indicator category. Rankings indicate how the county ranked in relation to all 92 counties in Indiana. The lowest numbers indicate the most favorable rankings. Light grey shading indicates rankings in the bottom half of Indiana's counties; dark grey shading indicates rankings in bottom quartile.

OBSERVATIONS

In 2020, Marion County ranked in the bottom 50th percentile among Indiana counties for 25 of the 41 indicators assessed. Of those, 17 were in the bottom quartile, including:

- Health outcomes;
- Health factors;
- Length of life;
- Low birthweight births;
- Food environment index;
- Sexually transmitted infections;
- Teen births;
- Uninsured:
- Social and economic factors;
- High school graduation;
- Children in poverty;
- Income inequality;
- Children in single-parent households;

⁷A composite measure of Access to Care, which examines the percent of the population without health insurance and ratio of population to primary care physicians, and Quality of Care, which examines the hospitalization rate for ambulatory care sensitive conditions, whether diabetic Medicare patients are receiving HbA1C screening, and percent of chronically ill Medicare enrollees in hospice care in the last 8 months of life.

⁸A composite measure that examines Environmental Quality, which measures the number of air pollution-particulate matter days and air pollution-ozone days, and Built Environment, which measures access to healthy foods and recreational facilities and the percent of restaurants that are fast food.

- o Injury deaths;
- o Physical environment;
- o Air pollution; and
- Severe housing problems.



Indicator Category	Data	Marion County	Indiana	United States
	Health Outcomes			
Length of Life	Years of potential life lost before age 75 per 100,000 population	9,933	8,306	6,900
	Percent of adults reporting fair or poor health	19.0%	19.8%	17.0%
	Average number of physically unhealthy days reported in past 30			
Quality of Life	days	3.9	4.2	3.8
	Average number of mentally unhealthy days reported in past 30 days	4.2	4.7	4.0
	Percent of live births with low birthweight (<2500 grams)	9.2%	8.0%	8.0%
	Health Factors			
Health Behaviors				
Adult Smaking	Percent of adults that report smoking >= 100 cigarettes and currently			
Adult Smoking	smoking	19.2%	21.8%	17.0%
Adult Obesity	Percent of adults that report a BMI >= 30	32.5%	33.4%	29.0%
Food Environment Index	Index of factors that contribute to a healthy food			
Food Environment Index	environment, 0 (worst) to 10 (best)	6.7	7.1	7.6
Dhysical Incetivity	Percent of adults aged 20 and over reporting no leisure-time			
Physical Inactivity	physical activity	26.3%	26.7%	23.0%
Access to Exercise	Percent of population with adequate access to locations for physical			
Opportunities	activity	88.9%	75.2%	84.0%
Excessive Drinking	Binge plus heavy drinking	17.7%	17.6%	19.0%
Alcohol-Impaired Driving	Described division deaths with already involvement			
Deaths	Percent of driving deaths with alcohol involvement	17.0%	19.7%	28.0%
STDs	Chlamydia rate per 100,000 population	1,109.0	514.2	524.6
Teen Births	Teen birth rate per 1,000 female population, ages 15-19	36.0	26.5	23.0
Clinical Care		·	·	
Uninsured	Percent of population under age 65 without health insurance	11.7%	9.6%	10.0%
Primary Care Physicians	Ratio of population to primary care physicians	1,253:1	1,511:1	1,330:1
Dentists	Ratio of population to dentists	1,126:1	1,777:1	1,450:1
Mental Health Providers	Ratio of population to mental health providers	350:1	623:1	400:1
Proventable Hespital Stave	Hospitalization rate for ambulatory-care sensitive conditions per			
Preventable Hospital Stays	100,000 Medicare enrollees	5,110	5,006	4,535
Mammagraphy Carassins	Percent of female Medicare enrollees, ages 67-69, that receive			
Mammography Screening	mammography screening	41.0%	42.0%	42.0%
Flu Vaccinations	Percent of Medicare enrollees who receive an influenza vaccination	49.0%	49.0%	46.0%

Source: County Health Rankings, 2020.

Exhibit 28: County Health Rankings Data Compared to State and U.S. Averages, 2020 (continued)

Indicator Category	Data	Marion County	Indiana	United States
	Health Factors	•		
Social & Economic Factors				
High School Graduation	Percent of ninth-grade cohort that graduates in four years	75.9%	83.8%	85.0%
Some College	Percent of adults aged 25-44 years with some post-secondary	62.20/	62.70(CC 20/
	education	62.3%	62.7%	66.0%
Unemployment	Percent of population age 16+ unemployed but seeking work	3.5%	3.4%	3.9%
Children in Poverty	Percent of children under age 18 in poverty	24.5%	17.5%	18.0%
Income Inequality	Ratio of household income at the 80th percentile to income at the 20th percentile	4.8	4.4	4.9
Children in Single-Parent Households	Percent of children that live in a household headed by single parent	47.1%	33.9%	33.0%
Social Associations	Number of associations per 10,000 population	11.6	12.3	9.3
Violent Crime	Number of reported violent crime offenses per 100,000 population	1,251.2	385.1	386.0
Injury Deaths	Injury mortality per 100,000	94.3	77.1	70.0
Physical Environment				
Air Pollution	The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county	12.8	11.8	8.6
Severe Housing Problems	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities	19 20/	12.20/	19.00/
Driving Along to Warl		18.3%	13.2%	18.0%
Driving Alone to Work	Percent of the workforce that drives alone to work Among workers who commute in their car alone, the percent that	82.6%	83.0%	76.0%
Long Commute – Drive Alone Source: County Health Rankings 2020	commute more than 30 minutes	29.4%	31.1%	36.0%

Source: County Health Rankings, 2020.

DESCRIPTION

Exhibit 28 provides data that underlie the County Health Rankings and compares indicators to statewide and national averages. Light grey shading highlights indicators found to be worse than the national average; dark grey shading highlights indicators more than 50 percent worse.

Note that higher values generally indicate that health outcomes, health behaviors, and other factors are worse in the county than in the United States. However, for several indicators, lower values are more problematic, including:

Food environment index;

Percent with access to exercise opportunities;

Percent receiving mammography screening;

Percent receiving flu vaccination;

High school graduation rate;

Percent with some college; and

Social associations rate.

OBSERVATIONS

Indiana-wide and Marion County indicators are worse than U.S. averages for all health outcome indicators.

The following indicators compared particularly unfavorably in Marion County:

- Chlamydia rate;
- o Teen birth rate; and
- Violent crime rate.

⁹ County Health Rankings provides details about what each indicator measures, how it is defined, and data sources at http://www.countyhealthrankings.org/sites/default/files/resources/2013Measures_datasources_years.pdf

Community Health Status Indicators

Exhibit 29: Community Health Status Indicators, 2020

(Light Grey Shading Denotes Bottom Half of Peer Counties; Dark Grey Denotes Bottom Quartile)

Category	Indicator	Marion County		Peer Counties
Length of Life	Years of Potential Life Lost Rate		9,933.5	7,777.6
	% Fair/Poor Health		19.0%	18.9%
Quality of Life	Physically Unhealthy Days		3.9	3.9
Quality of Life	Mentally Unhealthy Days		4.2	4.2
	% Births - Low Birth Weight		9.2%	9.5%
	% Smokers		19.2%	16.6%
	% Obese (BMI >30)		32.5%	28.0%
	Food Environment Index		6.7	7.4
Health	% Physically Inactive		26.3%	24.1%
Behaviors	% With Access to Exercise Opportunities		88.9%	95.7%
Della VIOIS	% Excessive Drinking		17.7%	19.5%
	% Driving Deaths Alcohol-Impaired		17.0%	24.9%
	Chlamydia (per 100,000 population)		1,109.0	850.8
	Teen Births (per 1,000 females ages 15-19)		36.0	25.4
	% Uninsured		11.7%	10.8%
	Per capita supply of primary care physicians		79.8	86.1
	Per capita supply of dentists		88.8	83.5
Climical Cara	Per capita supply of mental health providers		286.0	302.7
Clinical Care	Preventable Hospitalizations (per 100,000			
	Medicare Enrollees)		5,110.0	5,172.6
	% Mammography Screening		41.0%	39.1%
	% Flu Vaccination		49.0%	43.4%
	% High School Graduation		75.9%	80.8%
	% Some College		62.3%	66.4%
	% Unemployed		3.5%	4.2%
Social &	% Children in Poverty		24.5%	24.6%
Economic	Income Ratio		4.8	5.8
Factors	% Children in Single-Parent Households		47.1%	44.9%
	Social Association (per 10,000 population)		11.6	9.0
	Violent Crime (per 100,000 population)		1,251.2	743.5
	Injury Deaths (per 100,000 population)		94.3	73.9
	Average Daily PM2.5		12.8	10.5
Physical	% Severe Housing Problems		18.3%	23.7%
Environment	% Drive Alone to Work		82.6%	64.7%
	% Long Commute - Drives Alone		29.4%	41.7%

Source: County Health Rankings and Verité Analysis, 2020.

DESCRIPTION

County Health Rankings has assembled community health data for all 3,143 counties in the United States. Following a methodology developed by the Centers for Disease Control's *Community Health Status Indicators* Project (CHSI), County Health Rankings also publishes lists of "peer counties," so comparisons with peer counties in other states can be made. Each county in the U.S. is assigned 30 to 35 peer counties based on 19 variables including population size, population growth, population density, household income, unemployment, percent children, percent elderly, and poverty rates.

CHSI formerly was available from the CDC. Because comparisons with peer counties (rather than only counties in the same state) are meaningful, Verité Healthcare Consulting rebuilt the CHSI comparisons for this and other CHNAs.

Exhibit 29 compares Marion County to its respective peer counties and highlights community health issues found to rank in the bottom half and bottom quartile of the counties included in the analysis. Light grey shading indicates rankings in the bottom half of peer counties; dark grey shading indicates rankings in the bottom quartile of peer counties. Underlying statistics also are provided.

See Appendix D for a list of Marion County's peer counties.

OBSERVATIONS

Marion County ranks in the bottom quartile of peer counties for eight (8) of the 34 indicators:

- Years of potential life lost;
- Obesity;
- Access to exercise opportunities;
- Teen births;
- Violent crime;
- Air pollution;
- Driving alone to work; and
- Long commute drive alone.

COVID-19 Incidence and Mortality

Exhibit 30: COVID-19 Incidence, Mortality, and Vaccination (As of October 6, 2021)

Indicator	Marion County	Indiana	United States
Total Confirmed Cases	132,228	974,169	43,332,327
Confirmed Cases (per 100,000 Population)	13,851	14,557	13,281
Total Deaths	2,045	15,342	676,871
Deaths (per 100,000 Population)	214.2	229.3	207.5
Percent of Adults Fully Vaccinated	61.1%	59.1%	63.1%
Estimated Percent of Adults Hesitant About			
Receiving COVID-19 Vaccination	12.2%	11.9%	10.0%

Source: Sparkmap, 2021.

DESCRIPTION

Exhibit 30 presents data regarding COVID-19 incidence and mortality. Light grey shading highlights indicators found to be worse than the national average; dark grey shading highlights indicators 50 percent or worse than the national average.

OBSERVATIONS

The rates of COVID-19 cases and mortality per 100,000 in Marion County are above the U.S. averages, but below the Indiana averages.

The percent of adults fully vaccinated and the percent hesitant about receiving the vaccine in Marion County are both unfavorable compared to national averages.

Mortality Rates

Exhibit 31: Causes of Death (Age-Adjusted, Per 100,000), 2019

Indicator	Marion County	Indiana
Major Cardiovascular Disease	234.8	237.5
Diseases of Heart	178.5	178.7
Malignant Neoplasms (Cancer)	166.6	163.3
Ischemic Heart Disease	83.9	93.1
Accidents (Unintentional Injuries)	71.1	56.1
Chronic Lower Respiratory Diseases	57.5	56.1
Cerebrovascular Disease (Stroke)	40.0	41.5
Alzheimers Disease	26.8	31.7
Drug Poisoning	39.9	26.6
Accidental Poisoning And Exposure To		
Noxious Substances	39.3	25.4
Diabetes Mellitus	25.4	25.0
Nephritis, Nephrotic Syndrome and		
Nephrosis (Kidney Disease)	19.3	17.1
Septicemia	13.2	14.3
Intentional Self-Harm (Suicide)	13.0	14.1
Motor Vehicle Accidents	12.6	12.6
Alcohol Related Causes	13.4	10.4
Assault (Homicide)	17.6	7.2

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 31 provides age-adjusted mortality rates from 2019 for a variety of causes in Marion County and Indiana. Light grey shading highlights indicators found to be worse than the state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Rates of mortality for accidental poisoning and exposure to noxious substances and assault (homicide) are significantly above state averages in Marion County.

The county's mortality rates also are also above average due to cancer, accidents, chronic lower respiratory disease, drug poisoning, diabetes, kidney disease, and alcohol related causes.

Exhibit 32: Cancer Mortality Rates, Age-Adjusted per 100,000 Population, 2014-2018

Measure	Marion County	Indiana	United States
All Cancers	179.9	173.0	155.6
Lung and Bronchus	52.1	48.8	38.5
Breast	20.6	20.8	20.1
Prostate	24.0	19.5	19.0
Colon and Rectum	15.4	15.1	13.7
Pancreas	11.7	11.6	11.0
Leukemias	6.9	6.9	6.3
Ovary	6.9	6.9	6.7
Non-Hodgkin Lymphoma	5.4	6.1	5.4
Liver and Intrahepatic Bile Duct	8.5	6.0	6.6
Corpus and Uterus, NOS	5.5	5.1	4.9
Esophagus	4.0	4.9	3.9
Brain and Other Nervous System	4.2	4.6	4.4
Urinary Bladder	4.4	4.6	4.3
Kidney and Renal Pelvis	3.7	4.3	3.6
Myeloma	3.5	3.4	3.2
Cervix	3.2	2.5	2.2
Melanomas of the Skin	1.8	2.5	2.3
Oral Cavity and Pharynx	3.1	2.5	2.5
Stomach	2.9	2.5	3.0
Larynx	1.2	1.1	0.9
Thyroid	0.4	0.5	0.5

Source: Centers for Disease Control and Prevention, 2019.

DESCRIPTION

Exhibit 32 provides age-adjusted mortality rates for selected forms of cancer in 2014-2018. Light grey shading highlights indicators found to be worse than the state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Marion County's overall cancer mortality rate was above the state and national average. Marion County also compared unfavorably to Indiana averages in cancer mortality for lung and bronchus, prostate, colon and rectum, pancrease, liver and bile duct, uterus, myeloma, cervix, oral cavity and pharynx, stomach, and larynx.

Exhibit 33: Cancer Incidence Rates, Age-Adjusted per 100,000 Population, 2013-2017

Indicator	Marion County	Indiana	United States
All Cancer Types	468.7	459.3	448.7
Breast	127.7	122.9	125.9
Prostate	105.6	94.2	104.5
Lung & Bronchus	77.2	72.2	58.3
Colon & Rectum	39.1	42.6	38.4
Uterus (Corpus & Uterus)	28.0	28.2	27.0
Bladder	19.7	21.7	20.0
Melanoma of the Skin	18.5	21.7	22.3
Kidney & Renal Pelvis	19.2	19.0	16.8
Non-Hodgkin Lymphoma	18.5	18.6	19.3
Childhood (Ages <20)	17.2	17.6	18.9
Childhood (Ages <15)	15.6	16.2	17.4
Leukemia	13.2	13.7	14.2
Pancreas	13.7	13.3	12.9
Oral Cavity & Pharynx	14.2	12.7	11.8
Thyroid	11.6	12.5	14.3
Ovary	10.2	10.4	10.9
Cervix	8.8	8.2	7.6
Liver & Bile Duct	10.3	7.2	8.4
Brain & ONS	6.2	6.5	6.5
Stomach	6.6	5.9	6.5
Esophagus	4.6	5.5	4.5

Source: Centers for Disease Control and Prevention and National Cancer Institute, 2019.

DESCRIPTION

Exhibit 33 provides age-adjusted incidence rates for selected forms of cancer in 2013-2017. Light grey shading highlights indicators found to be worse than the state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Marion County's overall cancer incidence rate was above the state and national averages. Marion County also compared unfavorably to Indiana averages in cancer incidence for breast, prostate, lung and bronchus, kidney and renal pelvis, pancrease, oral cavity and pharynx, cervix, liver and bile duct, and stomach.

45 39.9 38.9 40 35.4 33.5 35 29.4 30 26.4 26.6 25.6 23.8 25 19.4 20 15 10 5 0 2015 2016 2017 2018 2019

Marion County ——Indiana

Exhibit 34: Drug Poisoning Mortality per 100,000, 2015 through 2019

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 34 provides age-adjusted mortality rates for drug poisoning for 2015 through 2019 for Marion County and Indiana.

OBSERVATIONS

Between 2015 and 2019, drug overdose and poisoning deaths increased in Marion County and Indiana.

Mortality rates in Marion County have been higher than Indiana rates for each year between 2015 and 2019.

Communicable Diseases

Exhibit 35: Communicable Disease Incidence Rates per 100,000 Population, 2018-2019

Indicator	Marion County	Indiana
HIV and AIDS	546.1	189.9
Newly Diagnosed - HIV and AIDS	22.6	8.2
Chlamydia	1,114.0	526.3
Gonorrhea	433.9	177.1
Primary and Secondary Syphilis	15.7	5.0

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 35 presents incidence rates for certain communicable diseases in Marion County and Indiana. Light grey shading highlights indicators found to be worse than the state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Marion County incidence rates for all communicable disease indicators were 50 percent or higher than the state average, including for HIV and AIDS, chlamydia, gonorrhea, and syphilis.

Maternal and Child Health

Exhibit 36: Maternal and Child Health Indicators, 2018-2019

Indicator	Marion County	Indiana	
Infant Mortality Rate (per 1,000 births)	8.1	7.2	
Preterm Births	11.0%	10.1%	
Low Birthweight Infants	9.6%	8.2%	
Very Low Birthweight Infants	1.6%	1.3%	
Mothers Receiving Prenatal Care (First			
Trimester)	61.3%	68.9%	
Mothers Breastfeeding	81.7%	82.0%	
Mothers Smoking during Pregnancy	8.4%	11.8%	
Births to Unmarried Mothers	53.7%	44.5%	
Mothers on Medicaid Percent	49.2%	38.5%	
Child Immunization Percent	67.0%	67.0%	
ER Visits due to Asthma (Aged 5-17, per			
10,000)	121.0	49.7	

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 36 compares various maternal and child health indicators for Marion County with Indiana averages. Light grey shading highlights indicators found to be worse than the state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Marion County compared unfavorably to Indiana averages for most indicators, including infant mortality rate, preterm births, low birthweight infants, very low birthweight infants, mothers receiving prenatal care, and breastfeeding.

The rate of ER visits due to asthma for children aged 5-17 in Marion County was more than double the statewide average.

Exhibit 37: Maternal and Child Health Indicators by Race/Ethnicity, 2013-2019

Indicator	Marion County			Indiana		
	Black	Hispanic (or Latino)	White	Black	Hispanic (or Latino)	White
Prenatal Care Started in First Trimester	55.8%	49.2%	78.1%	58.0%	59.5%	77.7%
Tobacco Used During Pregnancy	7.4%	1.8%	14.7%	8.7%	3.3%	14.9%
Preterm Births	13.7%	10.3%	9.8%	13.6%	9.7%	9.5%
Infant Mortality Rate (2013-2019)	12.4	7.0	5.5	13.7	7.4	6.0

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 37 provides maternal and infant health indicators, by race and ethnicity, for Marion County and Indiana.

OBSERVATIONS

In Marion County and Indiana, Black and Hispanic (or Latino) populations compared unfavorably to White populations for prenatal care, preterm births, and infant mortality. Black populations compared particularly unfavorably.

White populations had higher rates of mothers who used tobacco during pregnancy.

Exhibit 38: Causes of Death by Race/Ethnicity per 100,000, Indiana, 2017-2019

Indicator	Black	Hispanic (or Latino)	White	Indiana Total
Heart Disease	216.5	92.1	181.8	178.8
Cancer (Malignant Neoplasms)	183.6	91.5	168.8	163.4
Chronic Lower Respiratory Disease (CLRD)	45.4	14.1	58.5	56.1
Accidents / Unintentional Injuries	60.5	34.0	59.3	56.0
Stroke / Cerebrovascular Disease	51.5	29.2	39.8	41.4
Alzheimer's Disease	29.5	16.1	34.2	31.6
Diabetes	48.4	24.1	24.5	25.0
Kidney Disease (Nephritis, Nephrosis)	34.1	16.4	16.6	17.1
Septicemia	21.6	11.9	14.9	14.3
Suicide	8.7	7.0	17.3	14.2
Chronic Liver Disease / Cirrhosis	8.9	12.9	12.5	12.0
Influenza / Pneumonia	11.9	6.7	13.4	11.6
High Blood Pressure / Related Kidney Disease	18.5	5.6	9.6	10.4
Parkinson's Disease	4.7	N/A	10.0	9.9
Homicide	36.8	6.6	3.4	7.2
Pneumonitis (Lung Inflammation)	6.1	N/A	6.3	6.0
Nutritional Deficiencies	3.9	3.9	3.4	4.3
Neoplasms (Abnormal Growth)	3.4	N/A	4.2	4.1
Birth Defects	4.5	2.9	3.7	4.0
Condition Originating Around Time of Birth	8.9	4.3	3.6	3.6

Source: Indiana Department of Health, 2020.

DESCRIPTION

Exhibit 38 provides mortality rates from 2017-2019 for a variety of causes by race and ethnicity for the state of Indiana. Light grey shading highlights indicators found to be worse than the overall state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS

Black populations had particularly high mortality rates for a variety of causes, including diabetes, kidney disease, septicemia, high blood pressure, homicide, and conditions originating in the time of birth. Black populations also had higher rates of mortality for heart disease, cancer, accidents, stroke, and others.

Hispanic or Latino population compared unfavorably for mortality due to chronic liver disease and conditions originating in the time of birth.

White populations compared unfavorably for mortality due to chronic lower respiratory disease, Alzheimer's disease, suicide, Parkinson's disease, and influenza/pneumonia.

Exhibit 39: America's Health Rankings, Underlying Data by Race/Ethnicity, 2020

Black	Hispanic (or Latino)	White	Indiana
22.0%	8.8%	28.9%	27.0%
12.7%	5.1%	9.8%	9.8%
13.3%	23.7%	11.2%	12.6%
3.6%	N/A	7.9%	7.2%
11.2%	3.8%	10.1%	9.9%
37.8%	27.2%	13.7%	18.0%
1,864.1	559.5	279.4	523.9
4.1%	N/A	3.3%	3.4%
6.5%	N/A	9.5%	8.7%
70.0%	42.2%	69.2%	68.2%
1.5%	4.7%	1.2%	1.5%
78.4%	54.3%	80.0%	77.9%
55.6%	60.8%	65.6%	64.4%
14.6%	11.1%	22.8%	21.0%
17.9%	9.0%	12.1%	12.4%
27.0	7.3	27.3	24.9
12.3%	30.1%	8.7%	10.4%
17.5%		16.3%	16.5%
21.7%		21.1%	21.1%
		44.0%	42.1%
		14.5%	14.3%
13.4%	12.8%	13.7%	13.8%
			9.1%
			34.8%
			33.8%
			47.3%
			88.1%
			86.4%
			36.9%
			8.1%
			11.7%
			10.8%
			35.3%
			30,988
			30.9%
			4,810
			12.9%
			19.2%
			16.3
			21.8
			4.3%
			49.3%
			58.3%
	12.7% 13.3% 3.6% 11.2% 37.8% 1,864.1 4.1% 6.5% 70.0% 1.5% 78.4% 55.6% 14.6% 17.9% 27.0 12.3% 17.5% 21.7% 33.3% 13.3%	12.7% 5.1% 13.3% 23.7% 3.6% N/A 11.2% 3.8% 37.8% 27.2% 1,864.1 559.5 4.1% N/A 6.5% N/A 70.0% 42.2% 1.5% 4.7% 78.4% 54.3% 55.6% 60.8% 14.6% 11.1% 17.9% 9.0% 27.0 7.3 12.3% 30.1% 17.5% 20.9% 21.7% 16.7% 33.3% 35.7% 13.3% 8.2% 13.4% 12.8% 8.1% 6.6% 44.5% 20.5% 30.9% 25.9% 40.4% 35.5% 79.4% 84.3% 79.0% 85.2% 47.4% 37.8% 13.7% 7.1% 10.6% 5.2% 21,824 18,721 33.9% 38.0% 7,542 5,186 24.5% <td< td=""><td>12.7% 5.1% 9.8% 13.3% 23.7% 11.2% 3.6% N/A 7.9% 11.2% 3.8% 10.1% 37.8% 27.2% 13.7% 1,864.1 559.5 279.4 4.1% N/A 3.3% 6.5% N/A 9.5% 70.0% 42.2% 69.2% 1.5% 4.7% 1.2% 78.4% 54.3% 80.0% 55.6% 60.8% 65.6% 14.6% 11.1% 22.8% 17.9% 9.0% 12.1% 27.0 7.3 27.3 12.3% 30.1% 8.7% 17.5% 20.9% 16.3% 21.7% 16.7% 21.1% 33.3% 35.7% 44.0% 13.3% 8.2% 14.5% 33.4% 12.8% 13.7% 8.1% 6.6% 9.1% 44.5% 20.5% 35.1% 30.9% 25</td></td<>	12.7% 5.1% 9.8% 13.3% 23.7% 11.2% 3.6% N/A 7.9% 11.2% 3.8% 10.1% 37.8% 27.2% 13.7% 1,864.1 559.5 279.4 4.1% N/A 3.3% 6.5% N/A 9.5% 70.0% 42.2% 69.2% 1.5% 4.7% 1.2% 78.4% 54.3% 80.0% 55.6% 60.8% 65.6% 14.6% 11.1% 22.8% 17.9% 9.0% 12.1% 27.0 7.3 27.3 12.3% 30.1% 8.7% 17.5% 20.9% 16.3% 21.7% 16.7% 21.1% 33.3% 35.7% 44.0% 13.3% 8.2% 14.5% 33.4% 12.8% 13.7% 8.1% 6.6% 9.1% 44.5% 20.5% 35.1% 30.9% 25

Source: America's Health Rankings, 2020.

DESCRIPTION

Exhibit 39 presents Indiana data from America's Health Rankings for racial and ethnic cohorts, with Indiana overall for comparison. America's Health Rankings provides an analysis of national health on a state-by-state basis by evaluating a historical and comprehensive set of health, environmental and socioeconomic data to determine national health benchmarks and state rankings. Light grey shading highlights indicators found to be worse than the overall state average; dark grey shading highlights indicators more than 50 percent worse.

OBSERVATIONS


Black populations compared worse than state averages for many indicators, with particularly unfavorable rates of children in poverty, chlamydia, low birthweight births, preventable hospitalizations, severe housing problems, teen births, and unemployment.

Hispanic populations compared wore for a variety of indicators, with significantly unfavorable rates for avoiding healthcare due to cost, children in poverty, crowded housing, high school diploma, non-medial drug use, and severe housing problems.

White populations compared unfavorably for several indicators, including arthritis, cancer, COPD, depression, mental distress, high cholesterol, and suicide.

Centers for Disease Control and Prevention PLACES

Exhibit 40: BRFSS Indicators in Bottom Quartile Nationally, 2017-2018



Source: Centers for Disease Control and Prevention, 2020, and Caliper Maptitude.

DESCRIPTION

Exhibit 40 presents CDC PLACES data. PLACES, a collaboration between CDC, the Robert Wood Johnson Foundation, and the CDC Foundation, provides model-based population-level analysis and community estimates to all counties, places (incorporated and census designated places), census tracts, and ZIP Code Tabulation Areas (ZCTAs) across the United States.

Exhibit 40 identifies how many BRFSS indicators are in the bottom quartile nationally by ZIP code out of 28 indicators.

OBSERVATIONS

ZIP codes 46218 and 46201 – both in the western portion of the community – had the most BRFSS indicators in the bottom quartile nationally, each with at least 18 indicators. ZIP codes with the worst health outcomes corresponding to those with low-income census tracts (Exhibit 15) and high Community Need Index scores (Exhibit 22).

Food Deserts

Food Deserts 46236 Washington 46220 .75 Miles 46055 Crows Nest Rocky Ripp 46235 46205 Buck Creek 46202 46140 · Warren Park 46222 Sugar Creek 46163 46239 New Palestin 46217 46237 Franklin 46130 46126 46259

Exhibit 41: Locations of Food Deserts, 2019

Source: Caliper Maptitude and U.S. Department of Agriculture, 2021.

DESCRIPTION

The U.S. Department of Agriculture's Economic Research Service defines urban food deserts as low-income areas more than one mile from a supermarket or large grocery store, and rural food deserts as more than 10 miles from a supermarket or large grocery store. Many government-led initiatives aim to increase the availability of nutritious and affordable foods to people living in these areas.

Exhibit 41 identifies where food deserts are present in the community.

OBSERVATIONS

• Food deserts are found throughout the CHE community, particularly in northern areas.

Medically Underserved Areas and Populations

Medically Underserved ington 46220 Medically Underserved Area Medically Underserved Populations 46055 Miles Rocky Ripple 46776 46235 46205 Buck Creek 46218 46140 46229 ¢enter 46201 Warren 46219 46225 · Sugar Creek 46203 46163 46239 New Palestin 46107 46227 46217 46237 Franklin 46130 Perry 46126 46259

Exhibit 42: Medically Underserved Areas and Populations, 2021

Source: Caliper Maptitude and Health Resources and Services Administration, 2019.

DESCRIPTION

Medically Underserved Areas and Populations (MUA/Ps) are designated by HRSA based on an "Index of Medical Underservice." The index includes the following variables: ratio of primary medical care physicians per 1,000 population, infant mortality rate, percentage of the population with incomes below the poverty level, and percentage of the population age 65 or over. ¹⁰ Areas with a score of 62 or less are considered "medically underserved."

Populations receiving MUP designation include groups within a geographic area with economic barriers or cultural and/or linguistic access barriers to receiving primary care. If a population group does not qualify for MUP status based on the IMU score, Public Law 99-280 allows MUP designation if "unusual

¹⁰ Heath Resources and Services Administration. See http://www.hrsa.gov/shortage/mua/index.html

local conditions which are a barrier to access to or the availability of personal health services exist and are documented, and if such a designation is recommended by the chief executive officer and local officials of the state where the requested population resides."¹¹

Exhibit 42 identifies Medically Underserved Areas (MUAs) and Medically Underserved Populations (MUPs).

OBSERVATIONS

Census tracts throughout CHE community ZIP codes have been designated as Medically Underserved Areas, particularly in western areas and areas proximate to the hospital.

2021 Community Health Needs Assessment: East Region

¹¹Ibid.

Health Professional Shortage Areas

Primary Care HPSA 46256 Washington 46220 46055 Miles 46216 Rocky Ripple Lawrence 46235 46205 46208 Buck Creek 46218 46202 46140 46229 46222 Center 46201 Warren 46219 INDIANAPOLIS 46225 Sugar Creek 46163 46239 New Palestin 46227 46217 46237 Franklin 46130 46126 46259

Exhibit 43: Primary Care Health Professional Shortage Areas, 2021

Source: Health Resources and Services Administration, 2021.

DESCRIPTION

Exhibits 43 through 45 identify the locations of federally designated primary care, dental care, and mental health care Health Professional Shortage Areas (HPSAs).

A geographic area can be designated a HPSA if a shortage of primary medical care, dental care, or mental health care professionals is found to be present. In addition to areas and populations that can be designated as HPSAs, a health care facility can receive federal HPSA designation and an additional Medicare payment if it provides primary medical care services to an area or population group identified as having inadequate access to primary care, dental, or mental health services.

HPSAs can be: "(1) An urban or rural area (which need not conform to the geographic boundaries of a political subdivision, and which is a rational area for the delivery of health services); (2) a population group; or (3) a public or nonprofit private medical facility." ¹²

Exhibit 43 provides a map of census tracts federally designated as primary care HPSAs.

OBSERVATIONS

Census tracts throughout the CHE community have been designated as Primary Care HPSAs, particularly in northern areas, western areas, and areas proximate to the hospital.

¹² U.S. Health Resources and Services Administration, Bureau of Health Professionals. (n.d.). *Health Professional Shortage Area Designation Criteria*. Retrieved 2012, from http://bhpr.hrsa.gov/shortage/hpsas/designationcriteria/index.html




Exhibit 44: Dental Care Health Professional Shortage Areas, 2021

Source: Health Resources and Services Administration, 2021.

DESCRIPTION

Exhibit 44 provides a map of census tracts federally designated as dental care HPSAs.

OBSERVATIONS

Census tracts in the western area, near downtown Indianapolis, have been designated as dental care HPSAs in the CHE community.

Exhibit 45: Mental Health Care Health Professional Shortage Areas, 2021

HPSA Name	Designation Type	County
Low Income - Marion County	Low Income Population HPSA	Marion County
Adult and Child Mental Health Center Inc	Federally Qualified Health Center Look-alike	Marion County
Aspire Health Center	Federally Qualified Health Center Look-alike	Marion County
Healthnet, Inc.	Federally Qualified Health Center	Marion County
Indiana Health Centers Incorporated	Federally Qualified Health Center	Marion County
Jane Pauley Community Health Center, Inc.	Federally Qualified Health Center	Marion County
Meridian Services Corp	Federally Qualified Health Center	Marion County
Raphael Health Clinic	Federally Qualified Health Center	Marion County
Shalom Health Care Center, Inc.	Federally Qualified Health Center	Marion County
The Health & Hospital Corp of Marion County	Federally Qualified Health Center	Marion County
Windrose Health Network, Inc.	Federally Qualified Health Center	Marion County
Indiana Women's Prison	Correctional Facility	Marion County

Source: Health Resources and Services Administration, 2021.

DESCRIPTION

Exhibit 45 provides a list of federally designated mental health HPSAs.

OBSERVATIONS

The low-income population of Marion County is designated as a Mental Health Care HPSA. Several FQHCs, FQHC look-alikes, and correctional facilities have been designated as Mental Health Care HPSAs.

FINDINGS OF OTHER ASSESSMENTS

CDC COVID-19 Prevalence and Mortality Findings

The Centers for Disease Control and Prevention (CDC) provides information, data, and guidance regarding the COVID-19 pandemic. The pandemic also has exposed the significance of problems associated with long-standing community health issues, including racial health inequities, chronic disease, access to health services, mental health, and related issues. Part of the CDC's work has included identifying certain populations that are most at risk for severe illness and death due to the pandemic. To date, the CDC's work has yielded the outlined below.

Underlying medical conditions may contribute. People with certain underlying medical conditions are at increased risk for severe illness and outcomes from COVID-19, including the following: ¹³

Cancer;

Chronic kidney disease;

Chronic obstructive pulmonary disease (COPD);

Immunocompromised state from organ transplant;

Obesity;

Serious heart conditions, including heart failure, coronary artery disease, or cardiomyopathies;

Sickle cell disease; and

Type 2 diabetes mellitus.

Based on what is known at this time, people with other conditions might be at an increased risk for severe illness and outcomes from COVID-19, including:¹⁴

Asthma (moderate-to-severe);

Cerebrovascular disease (affects blood vessels and blood supply to the brain);

Cystic fibrosis;

Hypertension or high blood pressure;

Immunocompromised state from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune weakening medicines;

Neurologic conditions, such as dementia;

Liver disease;

Pregnancy;

Pulmonary fibrosis (having damaged or scarred lung tissues);

Smoking;

Thalassemia (a type of blood disorder); and

Type 1 diabetes mellitus.

2021 Community Health Needs Assessment: East Region

 $^{^{13}\,\}underline{\text{https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-with-medical-conditions.html}$

¹⁴ Ibid.

APPENDIX

Older adults are at-risk. Older adults and the elderly are disproportionately at risk of severe illness and death from COVID-19. Risks increase with age, and those aged 85 and older are at the highest risk. At present time, eight out of 10 COVID-19 deaths have been in adults aged 65 or older.¹⁵

Men are at-risk. Data thus far indicate that men are more likely to die from COVID-19 than women. While the reasons for this disparity are unclear, a variety of biological factors, behavioral influences, and psychosocial elements may contribute.¹⁶

Racial and ethnic minorities are at-risk. According to the CDC, "Long-standing systemic health and social inequities have put some members of racial and ethnic minority groups at increased risk of getting COVID-19 or experiencing severe illness, regardless of age." Evidence points to higher rates of hospitalization or death among racial and ethnic minority groups, including non-Hispanic Black persons, Hispanics and Latinos, and American Indians or Alaska Natives.¹⁷

Non-Hispanic American Indiana or Alaska Native persons - incidence rate is approximately five times greater than non-Hispanic White persons.

Non-Hispanic Black persons - incidence rate is approximately five times greater than non-Hispanic White persons.

Hispanic or Latino persons - incidence rate is approximately four times greater than non-Hispanic White persons.

In explaining these differences of COVID-19 incidence rates, the CDC states: "Health differences between racial and ethnic groups result from inequities in living, working, health, and social conditions that have persisted across generations." ¹⁸

Indiana State Health Assessment and Improvement Plan - 2018-2021

In 2017, the Indiana Department of Health (formerly the Indiana State Department of Health) began the process of revising the State Health Assessment and State Health Improvement Plan in collaboration with over 100 partner organizations, key informants, and subject matter experts.

The 2018 Indiana State Health Assessment (SHA) provides an overview of the health and social wellbeing of Hoosiers and the issues impacting the public health system. This assessment provides the foundation for the Indiana State Health Improvement Plan (SHIP), which identified the following priority health issues for the State of Indiana:

Social Determinants of Health and health equity

¹⁵ https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/older-adults.html

¹⁶ https://www.cdc.gov/pcd/issues/2020/20 0247.htm

¹⁷ https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/racial-ethnic-minorities.html

¹⁸ Ibid.

 "Conditions in the environment that affect a broad range of health and quality of life outcomes"

Improving public health infrastructure

o Funding and culture/quality of public health practice

Improving health outcomes and reducing health disparities

- o Reduce rates of chronic disease
- Address the opioid epidemic (reduced injury and death due to opioid exposure)
- o Improve birth outcomes and reduce infant mortality
- o Improved access to mental health services

Appendix C – Community Input Participants

Exhibit 46: Interviewee Organizational Affiliations

Organization or Affiliation		
Brooke's Place		
Indiana Minority Health Coalition		
Indiana Youth Institute		
Marion County Public Health Department		

Exhibit 47: Community Meeting Participants

Organization or Affiliation				
Allen Chapel A.M.E. Church	Indianapolis City Council			
Anthem Medicaid	Indianapolis City-County Council			
Broadway United Methodist Church	Indianapolis Neighborhood Housing Partnership			
City of Indianapolis, Division of Community Nutrition and Food Policy	Indianapolis Public Transportation Corporation (IndyGo)			
Coalition for Our Immigrant Neighbors	Indianapolis Urban League			
Concerned Clergy of Indianapolis	Indy Hunger Network			
Connections IN Health	Jump IN for Healthy Kids			
Connections IN Health - IU School of Medicine	Managed Health Services (MHS)			
Covering Kids & Families of Indiana	Marian University			
Crossroads A.M.E. Church	Marian University - College of Osteopathic Medicine			
First Baptist Church North Indianapolis	Marion County Public Health Department			
Gennesaret Free Clinic	Neighborhood Christian Legal Clinic			
Gleaners Food Bank of Indiana	Nine13sports			
Habitat for Humanity of Greater Indianapolis	Nurse Family Partnership - Goodwill of Central and Southern Indiana			
Health by Design	Office of Representative André Carson			
Horizon House	Pathway to Recovery			
Immigrant Welcome Center	Playworks Indiana			
Indiana Civil Rights Commission (American Indian and Asian)	Raphael Health Center			
Indiana Clinical and Translational Sciences Institute (CTSI)	Richard M. Fairbanks Foundation			
Indiana Legal Services	The Julian Center			
Indiana Public Health Association	Top 10 Coalition			
Indiana State Department of Health	University of Indianapolis			
Indiana University Richard M. Fairbanks School of Public Health	YMCA of Greater Indianapolis			

Appendix D – CHSI Peer Counties

County Health Rankings has assembled community health data for all 3,143 counties in the United States. Following a methodology developed by the Centers for Disease Control's *Community Health Status Indicators* Project (CHSI), County Health Rankings also publishes lists of "peer counties," so comparisons with peer counties in other states can be made. Each county in the U.S. is assigned 30 to 35 peer counties based on 19 variables including population size, population growth, population density, household income, unemployment, percent children, percent elderly, and poverty rates. **Exhibit 48** lists peer counties for Marion County, IN.

Exhibit 48: CHSI Peer Counties

Marion County, Indiana			
Jefferson County, Alabama	Essex County, New Jersey		
Los Angeles County, California	Hudson County, New Jersey		
Riverside County, California	Union County, New Jersey		
Sacramento County, California	Bronx County, New York		
District of Columbia (DC)	Kings County, New York		
Duval County, Florida	New York County, New York		
Hillsborough County, Florida	Queens County, New York		
Miami-Dade County, Florida	Cuyahoga County, Ohio		
Orange County, Florida	Hamilton County, Ohio		
Fulton County, Georgia	Philadelphia County, Pennsylvania		
Cook County, Illinois	Providence County, Rhode Island		
Marion County, Indiana	Shelby County, Tennessee		
Orleans Parish, Louisiana	Dallas County, Texas		
Baltimore City, Maryland	Harris County, Texas		
Suffolk County, Massachusetts	Norfolk City, Virginia		
Wayne County, Michigan	Richmond City, Virginia		
St. Louis City, Missouri	Milwaukee County, Wisconsin		

Appendix E – Impact Evaluation

This appendix highlights Community Hospital East's initiatives and impact in addressing the significant health needs identified in the 2018 Community Health Needs Assessment. The COVID-19 pandemic caused service disruptions to many of the programs included below. Due to restrictions on in-person gatherings and in-person services, many community benefit programs were required to adjust program offerings to ensure the safety of clients, patients and Community Health Network caregivers.

FOOD INSECURITY

- The Community Cupboard of Lawrence: The Cupboard of Lawrence Township is a client-choice food pantry that helps relieve the strain of food insecurity. During the current Implementation Strategy time period, the Cupboard had 42,675 visits from clients living in Lawrence Township on the East side of Indianapolis. The Cupboard provides clients with fresh produce, dairy, frozen meats and non-perishables. In addition to the food items, the Cupboard also provides needed hygiene products and over-the-counter medicines to clients. Cooking classes and nutrition education materials, including a monthly newsletter are made available to clients of the Cupboard. These classes and educational materials help clients better understand how to make healthier nutrition and lifestyle choices as well as provide cooking tips and recipes for items distributed at the Cupboard. The in-person cooking classes were put on hold in March 2020 due to the Covid-19 pandemic but clients continued to receive written nutrition information and recipes. The Cupboard also works in partnership with the Community East OB providers to provide Grab and Go Bags (food for family of four for three days) for patients who screen positive for food insecurity. In addition to the on the spot Grab and Go food bags provided, patients are provided a Food RX Script to use at the Cupboard for 90 days. OB patients are also provided assistance with enrollment for SNAP and WIC.
- Touchpoint for Seniors: Community Health Network supports the nutrition needs of seniors with the Senior Meal Voucher Program, made possible through collaboration with Community Health Network Foundation and CICOA Aging and In-Home Solutions. This program aims to expand the availability of healthy meal options for seniors, while also providing opportunities for social engagement through the free membership program. Recipients 60 and older, or the spouse of an enrollee are provided up to four meal vouchers each month. Recipients may redeem meal vouchers for breakfast, lunch or dinner at Community Hospital East's cafeteria. Designated menus are designed by a registered dietitian to ensure a nutritionally balanced meal for seniors. During the current Implementation Strategy time period, the Community Hospital East Touchpoint program has provided over 29,748 meals to local residents.
- Rolling Harvest: Community Hospital East works to address food insecurity in their community by bringing fresh vegetables right where patients, neighbors and caregivers can access them—in the front lobby of the hospital. Since 2017 until 2019, Community has partnered with area farmers to provide food options that might be hard to find in the ZIP code surrounding the hospital. Every Tuesday, patients and visitors were able to buy seasonal veggies such as green beans, tomatoes and cucumbers. Customers can buy the produce with cash, a credit card or

- their Supplemental Nutrition Assistance Program benefits, and the service has many repeat customers who visit week after week. Due to the COVID-19 pandemic the on-site farmers market was put on hold during the summer of 2020.
- Jump IN for Kids: Community Health Network provides annual financial support to Jump IN for Kids. Jump IN for Kids is a community-wide effort to empower kids in Central Indiana to live healthier lives. Jump IN believes that children and their families deserve to live in healthy environment with real opportunities to make smart choices to eat healthy, play healthy and live healthy. Community Health Network leaders are members of Jump IN's Leadership Council and provide expertise and time.
- **Serve360:** Each year, thousands of Community caregivers volunteer through Serve360° opportunities. The name of Community's volunteer initiative reflects the organization's way of completing the circle, collectively giving back to the people and neighborhoods that gave birth to Community. Projects range from staffing food pantries to painting homes to working in community gardens. During the current Implementation Strategy time period, 15,448 hours of volunteer service was provided by Community Health Network caregivers.
- REACH: A Racial and Ethnic Approaches to Community Health (REACH) grant from the Centers for Disease Control & Prevention aims to reduce chronic disease by addressing five specific areas: food systems, food service Guidelines, community clinical linkages, physical activity, and breastfeeding in Black communities. Community partners with the Marion County Health Department as sub-recipient of a five-year grant. One example of this program in action is a nutrition incentive program called Produce Prescription. Participants from a Community Health Network clinic attend free classes focused on chronic disease and earn vouchers for fresh produce. Another program works in collaboration with local food pantries to implement aligned policy, systems and environmental changes around healthy nutrition standards and guidelines, nutrition nudges and food procurement.

MENTAL HEALTH AND SUBSTANCE USE DISORDER

- Have Hope: With an aspirational goal of achieving a zero percent suicide incident rate among Community Behavioral Health patients by 2024, Community Health Network's Zero Suicide initiative aims to save Community patient lives specifically through early intervention and prevention, the construction of a robust crisis network, and the utilization of innovative mental health diagnostics and treatment protocols. The strategy brings crisis, telemedicine and intensive care coordination services to the patients of more than 600 primary care physicians and 7 emergency departments located throughout Central Indiana, representing both Community facilities and partner organizations where Community provides behavioral health services.
- **School Based Services:** As part of the effort to combat suicide among youth, Community Health Network provides mental health and substance abuse services to students in more than 150 schools including Indianapolis charter schools and the Metropolitan School Districts of Lawrence and Warren townships on the East side of Indianapolis.

- APPENDIX
- Taking the Fight Against Drug Addiction to a New Level: The Comprehensive Addiction Recovery Center was created by Community Health Network and Eskenazi Health and funded by a \$500,000 grant from the state of Indiana. The two behavioral health providers are working together to coordinate a comprehensive addiction recovery network. The network coordinates care for Hoosiers battling drug addiction and partners with local providers to offer the full spectrum of substance use care including assessments, inpatient, outpatient and medicationassisted treatment, peer support services, recovery residences, job training and workforce readiness services, and family support services.
- Mobile Injection Clinic: When the COVID-19 pandemic first hit, most of the nation went to virtual care delivery methods or significantly reduced the number of clients coming into outpatient care for face-to face service delivery. A great deal of the clients served with serious and persistent mental illness require biweekly or monthly psychiatric injections. Often times these same patients also require assistance with transportation to and from these appointments. Transportation resources were severely disrupted during the initial part of the public health emergency and stay at home orders. This led to the development of the Mobile Injection Clinic, which uses an ambulance and is staffed by an EMT, a case manager, and a registered nurse. The ambulance provided a sterile, easily cleanable environment for injections to be administered. The case manager ensured social determinants of health needs were being met and the registered nurse administered the injection and assessed for overall health of the client. This team communicated regularly with the care team for continuity of care purposes.
- QPR: Indiana has the highest measure of youth suicide ideation in the nation and ranks second for youth suicide attempts. Community Health Network has invested significant resources into suicide prevention. For example, Community Health Network provides QPR Gatekeeper certificate training at no cost to community residents, schools, faith-based organizations and businesses. This suicide prevention training is evidence-based and enabled by the QPR Institute (QPR stands for Question, Persuade, Refer). The curriculum includes 90 to 120 minutes of training and prepares attendees for tragedy prevention through providing hope and engagement by applying the QPR techniques. Community Health Network has help to train over 75 community members annually.
- Behavioral Health Academy: Community Health Network collaborated with the Indiana University School of Social Work (IUSSW) and the University of Indianapolis Phylis Lan Lin Department of Social Work (UIndy) to launch an innovative behavioral health talent pathway. Stakeholders from Community Behavioral Health, IUSSW, and UIndy completed an 18-month process to build the Behavioral Health Academy™, a talent pipeline expecting to yield 25 − 30 licensed clinical social workers (LCSW) annually who are eligible to become dually licensed as licensed clinical addiction counselors (LCACs) and are specially trained in treating substance use disorders. The Behavioral Health Academy creates significant benefits for Community Behavioral Health, students, and IUSSW and UIndy as education partners. As an employer, Community Health Network has a steady supply of high-caliber talent trained in Community Behavioral Health specific behavioral health practices, resulting in decreased orientation costs and time to productivity for new hires. The students participating in the Behavioral Health Academy receive specialized training in evidence-based practices, an opportunity to interview for employment upon graduation, and a financial incentive to defray the cost of their education. By filling the workforce gap, additional opportunities will be available to address the critical need for

APPENDIX

substance use disorder treatment services. 30 students are are selected for the program annually. Recognizing the success and importance of the Academy, the State of Indiana entered into contract with Community Health Network to expand the Behavioral Health Academy to include two additional behavioral health providers outside of Central Indiana. Parkview Health and Oaklawn Psychiatric Center were selected to work with Community Health Network and Indiana University School of Social Work for the 2021/22 Academy year expansion. Since the inception in 2020, 57 students have graduated from the program.

- Expansion of Behavioral Health Services: New to the Community Hospital East campus is the Neuro-Diagnostic Institute (NDI), Indiana's newest state psychiatric hospital. The \$118 million facility opened in March of 2019, replacing the LaRue D. Carter Memorial Hospital on the west side of Indianapolis. NDI's 159 beds include space for 60 pediatric patients. Community East and the NDI share the Bill Spurlock Support Services Hub, which houses receiving, shipping, materials storage and disposal activities. Community Health Network is also leasing space at NDI in order to expand behavioral health services. The 15 bed unit provides inpatient care for Community behavioral health patients on the east side.
- Drug Take Back: Unwanted and expired medicine may be a risk to human health and the environment if disposed of improperly. Wastewater treatment plants and septic systems are not designed to deal with pharmaceutical waste. Many medicines pass through the systems and are released into streams, lakes, and groundwater. The best way to reduce the impact of pharmaceutical waste on the environment is to dispose of medicine properly. State and local law enforcement agencies have established drug disposal programs (often called "take-back" programs) to facilitate the collection and destruction of unused, unwanted, or expired medications. These programs help get outdated or unused medications off household shelves and out of the reach of children and teenagers. During the current Implementation Strategy time period, two events have been held at Community East collecting over 75lbs of unwanted prescription drugs.

CHOICE: Community Hospital East is proud to offer the CHOICE (Change, Hope, Overcome, Inspire, Compassion, Educate) program to pregnant women struggling with substance use disorders. This program is designed to help each patient get into a treatment program that works for her and to support her on the path to recovery. Resources available to patients include medical care, medications, therapy, and community-based assistance options. All aspects of treatment are offered in a non-judgmental and compassionate environment, from the medical office to the labor and delivery unit.

TOBACCO USE

• Baby & Me Tobacco Free: Community Hospital East's Baby and Me Tobacco-Free Program is an evidence-based approach to helping pregnant women and new moms quit smoking. It has measured positive outcomes through the use of the "5 As" counseling approach promoted by the American College of Obstetricians and Gynecologists. During the current Implementation Strategy time period, the program has served 251 women. The hospital also partners with the Marion County Public Health Department on an initiative known as Beds and Britches, Etc., or the B.A.B.E. Store for short. The program promotes responsible parenting by offering incentives

- to expectant parents. It encourages accountability and promotes self-esteem, while providing goods and services for nurturing healthy babies and toddlers.
- Alliance for a Healthier Indiana: The Alliance's goals are to continue educating the public and lawmakers, grow grassroots engagement around the state, increase local support, raise awareness of Indiana's poor health rankings and share ideas about ways everyone can work together to improve Hoosier health. In 2020, America's Health Rankings moved Indiana to 41st out of the 50 states in tobacco use. Due to the high prevalence of tobacco use among Hoosiers, tobacco cessation became the first focus of the Alliance for a Healthier Indiana along with a coalition of more than 200 leading Indiana organizations, called Raise It for Health. The advocacy efforts aimed to persuade state legislators to increase the cigarette tax because research shows doing so is very effective in encouraging smokers to quit and preventing young people from starting smoking. In 2019, US Sen. Todd Young (IN) co-introduced a congressional bill the Tobacco to 21 Act. The Alliance supported this bill and was invited to join a press conference being held by Sen. Young at Carmel High School to discuss the Act. The bill was passed in late 2019 and went into effect on July 1, 2020 effectively raising the legal sale age from 18 to 21 for all tobacco products.

ACCESS TO HEALTH SERVICES

- WellFund: The WellFund exists to help patients navigate healthcare coverage options, including initial enrollment and ongoing maintenance of coverage. Patients have direct access to WellFund Patient Advocates during pre-service, admission and post-discharge for questions and determining which plan best meets their needs. During the current Implementation Strategy time period, WellFund Patient Advocates assisted 51,005 individuals with enrollment assistance. The WellFund Patient Advocates are available to meet with patients in person or over the phone to help with enrollment in one of the below programs, Medicaid, Medicare, Marketplace, Social Security and Disability.
- School-Based Clinical Care: Community Health Network's school-based programs cover a wide range of needs for youth across Central Indiana and play a critical role in keeping children healthy in the classroom so they can learn. Onsite nurses address students' needs in the school and after-school setting, helping to ensure consistency in care and less time away from the classroom. These nursing services are offered free of charge to schools. Nurses assess health conditions, derive nursing diagnoses, execute a nursing regimen, advocate for health, execute a medical regimen delegated by a physician, teach, administer and evaluate care for students every day. In addition, for students facing chronic health conditions and ongoing health needs, medications prescribed by physicians are administered by Community Health Network school-based nursing staff. Services also include physicals, immunizations, health coaching including blood pressure and cholesterol screening and a variety of additional services helping teachers and faculty addressing everything from allergies to anxiety and bullying. During the current Implementation Strategy time period, Community Health Network school-based nurses completed 1,462,593 visits with an average of 96% of students return to class. Community Health Network serves several school districts on the East-side of Indianapolis.

- Nurse Family Partnership: The Nurse Family Partnership is an evidence-based community health program that transforms the lives of pregnant, vulnerable mothers. A three-year partnership involving Community and Goodwill of Central and Southern Indiana is increasing access to healthcare services and improving health outcomes. Early in pregnancy, each mother served by Nurse Family Partnership is connected with a registered nurse who provides ongoing home visits through the child's second birthday. The nurse helps the mother-to-be access prenatal care and wraparound services that improve health outcomes for mom and baby. Services following birth help set the participants on a road to self-sufficiency, and goals range from increasing the rate of breastfeeding to reducing drug addiction and child maltreatment. During the current Implementation Strategy time period, 98 babies have been born to mothers who have been supported by a Community Health Network funded Nurse Family Partnership nurse.
- Jane Pauley Community Health Center: As a Federally Qualified Health Center, The Jane Pauley Community Health Center (JPCHC) offers comprehensive healthcare services to the communities served, regardless of insurance status, by providing family medicine, pediatrics, OB/GYN, behavioral health, and dental services. The organization was established in 2009 with generous support from the Metropolitan School District of Warren Township, Community Health Network, and the Community Health Network Foundation. Annually, The JPCHC serves over 24,000 patients with comprehensive medical and dental care in the East regions. Community Health Network continues to provide The Jane Pauley Community Health Center with \$500,000 to support operations and also provides Network leadership to participate on their Board of Directors. During the current Implementation Strategy time period, the JPCHC sites that serve the East side of Indianapolis completed 111,0297 visits.
- Medical Legal Partnership: The purpose of a Medical Legal Partnership (MLP) is to improve health outcomes for patients through the provision of legal services that impact social determinants of health. Hospitals often see patients who are suffering from acute and chronic medical conditions caused or aggravated by conditions in patients' homes, issues in the patients' relationships, or patients' lack of income and other resources. Embedding an MLP attorney in the hospital allows the hospital and the MLP to work together as a team to address habitability issues in a patient's home and provide patients with the medical care and legal services they need to become healthy and stay healthy. By way of this partnership, patients have the opportunity to obtain a clean slate for future employment opportunities. During the current Implementation Strategy time period, MLP received 898 referrals from Community Hospital East.
- Community Connections: Community Connections is a program to help community members find free and reduced-cost social services. It's a free search tool to connect seekers with social services offered by verified social care organizations and non-profits. The search tool uses zip codes to best be able to find resources in close proximity of the users home. The tool has up-to-date information about location and eligibility for local food pantries, transportation services, health care, housing and other social service programs. Since the launch of Community Connections in Q3 2020, over 3,240 users have conducted 11,396 searches using the platform.